

PART "B" (To be prepared by Coast Guard Representative)

New York, N.Y. Date 16 June, 1942 Location Columbia St. B'Klyn

(1) Name of vessel Alcoa Pilot Type S.S.

Nationality American Radio Call K I J J

(2) Name of Master A. J. Larson

(3) Owner of vessel Alcoa Lines

*(Give under remarks complete information as to ownership, Charter and status of officers and crew).

(4) Arrival within the jurisdiction of the United States.

Hour 2100 Date 15 June, 1942 Place Ambrose

(5) Desired departure from the United States.

Hour Unknown Date Unknown, 1942 Place Unknown

(6) Last previous port St. Thomas, Virgin Islands.

(7) Nature of service Cargo

Purpose of visit Discharge and Load

(8) Port bound to West Indies ???

(9) *Remarks 33 in crew inclu. 9 officers

All American

Number of operators aboard One (1)

Name of each operator aboard H. C. Segelken

(10) Transmitters: Intermediate (Yes) High Freq. (Yes) Low Freq. (No)

Type 147- M

Manufactured by M.R.T.

Power 200 Watts

Frequency range 375 to 500 Kc.

Frequencies calibrated to 375 400 425 469 500 Kc.

(11) Brief description of sealing operations Sealed main power starting

switch in off position

(12) Brief description of any signalling apparatus Morse and Aldis

(13) TIME: (~~XXXXXXXXXXXX~~) (sealed) 1100 E. W. T.

I hereby certify that I have, in accordance with orders of the District Coast Guard Officer, Third Naval District, sealed the radio apparatus of the above named vessel.

The serial number (s) of the seals are (is):

TYDEN USC A

BUTTON USC A 276021, 276022,

INTACT FROM New York USC 263439

ARLED (NO) Victor R. Lupo

DEGAUSSED (NO) Victor R. Lupo

WIPED (NO) (Signature)

SPEED (9.5)

A/S

Rank or rating.

Attached to Office, District Coast Guard Officer, Third Naval District

(PART B Cont'd)

(10) Transmitters:

Type: 151- A High Freq.
Manufactured by: M.R.T.
Power: 200 Watts
Frequency range: 5.5 to 17 Mc.
Frequencies calibrated to: 5 6 8 11 12 16 Mc.

(12) Brief description of sealing operations: ~~Sealed Tightly~~
Seal Intact

(10) Transmitters:

Type: 147 - M Emergency
Manufactured by: M.R.T.
Power: 50 Watts
Frequency range: 375 to 500 Kc.
Frequencies calibrated to: 375 400 425 469 500 Kc.

(12) Brief description of sealing operations: Same as main plus sealing discharge switch on battery panel

(10) Transmitters:

Type: _____
Manufactured by: _____
Power: _____
Frequency range: _____
Frequencies calibrated to: _____

(12) Brief description of sealing operations: _____

(10) Transmitters:

Type: _____
Manufactured by: _____
Power: _____
Frequency range: _____
Frequencies calibrated to: _____

(12) Brief description of sealing operations: _____

VESSEL: Alcoa Pilot LOCATION: Columbia St. B'klyn
DATE: 16 June, 1942. NEW YORK DISTRICT.