ART New Y	B (To be	prepared by Coas	t Guard Representative) 1943. Location 29th ST., BKLYN, N. Y.			
			Type S.S.			
(1)						
			Radio Call KOLR			
(2)			Licensee RMCA			
(3)	Owner of Vessel U. S. MARITIME COMMISSION  *(Give under remarks complete information as to Ownership, Charter and status of officers and Crew).					
(4)	Arrival within jurisdiction of the United States.  Hour 1400 Date 18 JUNE 1945. Place AMBROSE					
(5)			Port bound to UNKNOWN			
(6)	Nature of service	CARGO	Purpose of visit UNLOADING			
(7)	*Remarks	emarks 42 in crew including 9 officers				
	ALL AMERICANS					
	Number of Operators ONE (1)					
	Names of Operators	C. J. JONES				
(8)	Transmitters: Main (YES ) High Freq. (NO ) Emergency (YES ); Lifebcati (YES					
	Type MAIN E.T.8024					
	Manufactured by	ctured by RMCA				
	Power	200 WATTS				
	Frequency Range 350 to 500 KCS					
	Frequency calibrated 355, 375, 400, 410, 425, 454, 468, 500 KCS					
(9)	Brief description of scaling operations SHORTED AND GROUNDED ANTENNA					
	respect to the last of the	Miles operation				
(11)	) Brief description of signaling apparatus MORSE & ALDIS LAN ) Time sealed 2330 Eastern War Time. ) I hereby certify that I have, in accordance with orders of the District Coast Guard Officer, Third Naval District, sealed the radio apparatus of the above named vessel.  The serial number (s) of the seal (s) are (is):					
	BUTTON INTACT FROM	3543 - 3544				
	ARMED (YES) DEGAUSSED (YES) SFIED (10 ) Kn	ots.	C. J. LANGARIC (Signature)			
			E. M. 3/6 (Rank or Rating)			
			Attached to Office District			

Attached to Office, District Guard Officer, Third Naval District

(5)	B)(Continued) Transmitters:					
	Туре	EMERGENCY E	T.8025			
	Manufactured by	RMCA				
	Power	40 WATTS				
	Frequency Range	350 to 500 K	CS			
	Freq. calibrated	355, 375, 42	5, 454, 500 KCS			
(9)	Brief description of sealing operations SHORTED AND GROUNDED ANTENNA					
(8)	Transmitters: Type	LIFEBOAT 1681	3			
	Manufactured by FTC-					
	Power 40 WATTS					
	Frequency Range					
Freq. calibrated 600 METERS ONLY						
(9)	(9) Brief description of sealing operations SEALED CASE					
(8)	Transmitters:		1			
	Manufactured by					
	Power					
	Frequency Range					
	Freq. calibrated_					
(9)	Brief description o	f sealing operat:	ions			
RECE	IVING AFPARATUS - M	AKE & TYPE	FREQUENCY RANGE	STATUS OR REMARKS		
REC!	RMCA	AR8510	14 to 650 KCS			
REC'	R SCOTT	SLRF	80 to 550 KCS			
REC TR		1				
RADIO D/F FTC		106	520 to 280 KCS			
AUTO. ALARM R M C A		AR8601	490 to 510 kcs			
	Name of Vessel	and the second s				
			THURD NAVAL I			