ART New :	5 (To Tork, N.Y. Date_	be prepared by Coast Guard Representative) 3 MARCH 1943. Location PIER #14 EAST RIVER, N. Y.			
(1)	Name of vessel	ATLANTIDA Type S.S.			
	Nationality	HONDURAN Radio Call H R B L			
(2)	Name of Master	T. PESCOIL Licensee R M C A			
(3)	Owner of Vessel	STANDARD FRUIT & S.S. CO.			
	status of Officers				
(4)	Hour 1745 Date	2 MARCH 1943. Place AMBROSE			
(5)	Last previous port PORT AU PRINCG, HAITI Port bound to UNKNOWN				
(6)	Nature of service	CARGO Purpose of visit DISCHARGING			
(7)	*Remarks 69 in crew including 11 officers				
	30 BRITISH, 5	CAN., 2 ARABIANS, 2 AMER., 5 BRAZ., REST HONDURANS			
	Number of operators_	THREE (3)			
	Names of operators_	S. G. KINNER, J. C. CAROUNA, E. F. WOOD			
(8)	Transmitters: Main	(YES) High Freq. (YES) Emergency (YES) Lifeboat (YES)			
	Type	MAIN E.T.8006			
	Manufactured by	RMCA			
	Power	300 WATTS			
	Frequency range	375 to 500 KCS			
	Freq. calibrated to_	375, 425, 468, 500 KCS			
(9)	Brief description of	sealing operations REMOVED HIGH VOLTAGE FUSE & SEALED			
		PANEL			
(10)	Brief description of	signaling apparatus MORSE & ALDIS LAMPS.			
(12)		I have, in accordance with orders of the District			
	the above named vesse				
		of the seal (s) are (is):			
	BUTTON 1153 - 1154 - 1155 - 1156 INVACT FROM				
	ARMED (YES)	foll.			
	DTGAUSSED (YES) SPIED (14.5) Kno				
		E. M. 2/c			

(Rank or Rating)
Attached to Office, District Coast
Guard Officer, Third Naval District.

(PART B) (Continued)					
(8) Transmitters: Type	HIGH FREQUENCY	E.T.8004			
Manufactured by	RMCA		S ALL PARTS		
	50 WATTS				
Frequency Range	5 to 16 MCS				
Freq. calibrated		, 16 MCS	图		
(9) Brief description	of sealing operation	ons REMOVED TUBES & S	EALED PANEL AT		
		OPERATOR'S REQUEST			
(8) Transmitters:	EMERGENCY E.T.	8003			
Manufactured by	RMCA				
Power					
Frequency Range	4				
Freq, calibrated		68,500 KCS			
(9) Brief description					
(8) Transmitters; Type	LIFEBOAT E.T.8	007			
	Manufactured by RMCA				
Power	75 WATTS				
	Frequency Range 500 KCS ONLY				
	Freq. calibrated 500 KCS FIXED				
(9) Brief description		ions SEALED CASE			
RECEIVING APPAPAMUS	MAKE & TYPE	FREQUENCY RANGE	SMATUS OR REMARKS		
REC'F. RMCA		15 to 600 KCS			
RECIP RMCA		550 to 30,000 KCS			
	ETSOOM	355 to 550 KCS			
	12000				
RADIO D/F					
AUTO. ALARM		Logolitan	Hat Thoras Trees		
Name of Vessel A	MARCH 10/3	Location PIER			