

PART "B" (To be prepared by Coast Guard Representative)

New York, N.Y. Date 13 July, 1942 Location Pier 32, N.R.

(1) Name of vessel BRAZIL Type S.S.

Nationality American Radio Call WUYQ

(2) Name of Master H.L. Sadler

(3) Owner of vessel Maritime Commission

*(Give under remarks complete information as to ownership, Charter and status of officers and crew).

(4) Arrival within the jurisdiction of the United States.

Hour 0400 Date 13 July, 1942 Place Ambrose

(5) Desired departure from the United States.

Hour Unknown Date Unknown, 1942 Place Unknown

(6) Last previous port Bermuda

(7) Nature of service Transport

Purpose of visit Discharge & load

(8) Port bound to Unknown

(9) *Remarks 238 men in crew including 26 officers

All American

Number of operators aboard Three (3)

Name of each operator aboard J. Farrance, G. Young, A. Heaton - Army & Navy personnel

(10) Transmitters: Intermediate (Yes) High Freq. (Yes) Low Freq. (No)

Type Main - ET-3626-B

Manufactured by RMCA

Power 500 to 750 Watts

Frequency range 375 to 500 Kcs.

Frequencies calibrated to 375, 396, 400, 410, 425, 454, 468, & 500 Kcs.

(11) Brief description of sealing operations Opened main DC power switch and sealed Panel.

(12) Brief description of any signalling apparatus Morse & Aldis lamps.

(13) TIME: (xxx) (xxx) (xxxxxx) (sealed) 1715 E. W. T.

I hereby certify that I have, in accordance with orders of the District Coast Guard Officer, Third Naval District, sealed the radio apparatus of the above named vessel.

The serial number (s) of the seals are (is):

TYDEN USC A

BUTTON USC A 281754, 281755, 281756, 281757

INTACT FROM _____ USC _____

ARMED (Yes) George A. Barber

DEGAUSSED (No) George A. Barber

WIPED (No) (Signature)

SPEED (18.7) Knots

RM3c

Rank or rating.

Attached to Office, District Coast Guard Officer, Third Naval District

(Part B Cont'd)

(10) Transmitters:

Type: High Frequency - ET-8002
 Manufactured by: RMCA
 Power: 50 Watts
 Frequency range: 5510 to 16680 Kcs.
 Frequencies calibrated to: 8330, 8510, 12540, 16660, & 17020 Kcs.

(12) Brief description of sealing operations: Opened main DC power switch and sealed panel.

(10) Transmitters:

Type: Emergency - ET-8003
 Manufactured by: RMCA
 Power: 50 Watts
 Frequency range: 375 to 500 Kcs.
 Frequencies calibrated to: 375, 396, 428, 468, & 500 Kcs.

(12) Brief description of sealing operations: Shorted and grounded antenna Inductance.

(10) Transmitters:

Type: Lifeboat - ET-8007
 Manufactured by: RMCA
 Power: 75 Watts
 Frequency range: 500 Kcs.
 Frequencies calibrated to: 500 Kcs.

(12) Brief description of sealing operations: Sealed radio compartment.

(10) Transmitters:

Type: Lifeboat - ET-8007
 Manufactured by: RMCA
 Power: 75 Watts
 Frequency range: 500 Kcs.
 Frequencies calibrated to: 500 Kcs.

(12) Brief description of sealing operations: Sealed radio compartment.

VESSEL: BRAZIL LOCATION: Pier 32, N.R.
 DATE: 13 July, 1942. THIRD NAVAL DISTRICT.

RECEIVING APPARATUS * MAKE & TYPE	FREQUENCY RANGE	STATUS OR REMARKS
RECR. Hammarlund Super Pro	300 to 10000 Kcs.	
RECR. Hammarlund Super Pro	300 to 10000 Kcs.	
RECR. RMCA - AR-8503	15 to 600 Kcs.	
RECR.		
RADIO D/F FTC - GM-1605	375 to 500 Kcs.	
AUTO ALARM		