

P/ 5<sup>th</sup>  
N. Y. N. Y.

(To be prepared by Coast Guard Representative)  
Date 11 October 1942, Location \_\_\_\_\_

Quarantine \_\_\_\_\_

(1) Name of Vessel C. J. BARKDULL Type SS  
Nationality Panamanian Radio Call HPOM BQSQ

(2) Name of Master C. S. Swanner Licensee RMCA

(3) Owner of Vessel Panama Transport Company  
\*(Give under remarks complete information as to ownership, Charter and status of officers and crew).

(4) Arrival within the jurisdiction of the United States.  
Hour 1524 Date 11 October 1942, Place Ambrose Light

(5) Last previous port Curacao, West Indies

(6) Nature of service Tanker Purpose of visit In Transit

(7) Port bound to Unknown

(8) \*Remarks 39 in crew including 9 officers.

3 Scotch, 1 Belgian, 1 Canadian, 1 Swede, 1 Finn, 1 Czech.  
rest U.S.

Number of operators aboard vessel One (1)

Name of each operator O. A. Fonos

(9) Transmitters: Intermediate(  ) High Freq.(  ) Emergency(  )  
Type Main EF 8006

Manufactured by RMCA

Power 300 Watts

Frequency range 375 to 500 Kcs

Frequencies calibrated to 375 425 468 500 Kcs

(10) Brief description of sealing operations Sealed power switch in  
off position.

(11) Brief description of any signaling apparatus Morse and Aldis

(12) Time sealed 1820 Eastern war time.....

I hereby certify that I have, in accordance with orders of the District Coast Guard Officer, Third Naval District, sealed the radio apparatus of the above named vessel.

The serial number(s) of the seal(s) are(is).

TYDEN USC A  
BUTTON USC A 293627 293628 293629 293630  
INTACT FROM \_\_\_\_\_ USC \_\_\_\_\_

ARMED (  )  
DEGAUSSED (  )  
SPEED ( 10 )

James Bishop  
James Bishop  
(Signature)

E.M. 5/C  
(Rank or Rating)  
Attached to Office, District Coast  
Guard Officer, Third Naval District.

Part B cont'd)

(10) Transmitters:

Type: H.F. ET 8019

Manufactured by: R M C A

Power: 200 Watts

Frequency range: 4 to 22 Mcs

Frequencies calibrated to: 18 24 36 48 54 Meters

(12) Brief description of sealing operations: Sealed power switch in off position.

(10) Transmitters:

Type: Emergency ET 3650

Manufactured by: R M C A

Power: 50 Watts

Frequency range: 375 to 500 Kcs

Frequencies calibrated to: 375 425 468 500 Kcs

(12) Brief description of sealing operations: Sealed power switch in off position.

(10) Transmitters:

Type: Lifeboat (No Type #)

Manufactured by: Radio Distress Signal Corp

Power: 15 Watts

Frequency range: 500 Kcs fixed

Frequencies calibrated to: \_\_\_\_\_

(12) Brief description of sealing operations: Sealed case

| RECEIVING APPARATUS---MAKE & TYPE   | FREQUENCY RANGE       | STATUS OR REMARKS |
|-------------------------------------|-----------------------|-------------------|
| REC'R <u>AR 8505 R M C A</u>        | <u>.6 to 3 Mcs</u>    |                   |
| REC'RAR <u>8503 R M C A</u>         | <u>15 to 600 Kcs</u>  |                   |
| REC'R <u>AR B R M C A (crystal)</u> | <u>350 to 515 Kcs</u> |                   |
| RADIO D/E <u>AR 8703 R M C A</u>    | <u>270 to 520 Kcs</u> |                   |
| AUTO ALARM <u>AR 8600 X R M C A</u> | <u>500 Kcs fixed</u>  |                   |

VESSEL: C. J. BARKDULL

LOCATION: QUARANTINE

DATE::: 11 October

1942

THIRD NAVAL DISTRICT