

(1) Name of Vessel C. J. BARKDULL Type S.S.
Nationality Panamanian Radio Call B Q S Q
H P O M (old)

(2) Name of Master C. W. Hayes Licensee R.C.A.

(3) Owner of Vessel Standard Oil Co. of New Jersey
*(Give under remarks complete information as to ownership, Charter and status of officers and crew).

(4) Arrival within the jurisdiction of the United States.
Hour Unknown Date 1942, Place

(5) Last previous port Glasgow, Scotland

(6) Nature of service Tanker Purpose of visit Repairs

(7) Port bound to Unknown

(8) *Remarks 38 in crew including 9 officers
all American (15 U.S. Navy gun crew)

Number of operators aboard vessel TWO (2)

Name of each operator W. Burbo (USN) - O. Fonos

(9) Transmitters: Intermediate(Yes) High Freq.(Yes) Emergency(Yes)
Type Main E.T. 8006

Manufactured by R.M.C.A.

Power 300 Watts

Frequency range 600 - 800 Meters

Frequencies calibrated to 600, 640, 706, 800 meters

(10) Brief description of sealing operations Sealed filament switch
in off position.

(11) Brief description of any signaling apparatus Morse & Aldis Lamps

(12) Time sealed 1445 Eastern war time.....

I hereby certify that I have, in accordance with orders of the District Coast Guard Officer, Third Naval District, sealed the radio apparatus of the above named vessel.

The serial number(s) of the seal(s) are(is).

TYDEN USC A
BUTTON USC A 288487 - 288488
INTACT FROM USC

ARMED (Yes)
DEGAUSSED (Yes)
SPEED (10) Knots

Bernard Friedkin
(Signature) Bernard Friedkin
E.M. 3/c
(Rank or Rating)
Attached to Office, District Coast
Guard Officer, Third Naval District.

Part B cont'd

(10) Transmitters:

Type: H. F. E.T. 8019

Manufactured by: R.M.C.A.

Power: 200 Watts

Frequency range: 18 to 54 meters

Frequencies calibrated to: 18, 24, 27, 36, 48, 54 Meters

(12) Brief description of sealing operations: Sealed filament switch

in off position.

(10) Transmitters:

Type: Emergency E.T. 3650

Manufactured by: R.C.A.

Power: 50 Watts

Frequency range: 600 to 800 meters

Frequencies calibrated to: 600, 640, 706, 800 Meters

(12) Brief description of sealing operations: Sealed generator field

switch in off position.

(10) Transmitters:

Type: _____

Manufactured by: _____

Power: _____

Frequency range: _____

Frequencies calibrated to: _____

(12) Brief description of sealing operations: _____

RECEIVING APPARATUS	---MAKE & TYPE	FREQUENCY RANGE	STATUS OR REMARKS
REC'R	R.M.C.A. AR8505	6 - 30 mgs.	
REC'R	R.M.C.A. AR8503	15 to 600 kcs.	
REC'R	R.M.C.A. Type "B"	350 to 515 Kcs.	
RADIO D/F	R.M.C.A. AR8703	270 to 520 Kcs.	
AUTO ALARM	R.M.C.A. AR8600 X	500 Kcs, fixed.	

VESSEL: C. J. BARKDULL LOCATION: F.A. 23, N.Y. Harbor
DATE: 12 September 1942 THIRD NAVAL DISTRICT