

- (1) Name of Vessel CAPE BRETON Type S.S.
Nationality BRITISH Radio Call GLXG
- (2) Name of Master S. WATTS Licensee B.W.M.S.
- (3) Owner of Vessel BOWRING & CO.
*(Give under remarks complete information as to ownership, Charter and status of officers and crew).
- (4) Arrival within the jurisdiction of the United States.
Hour 1700 Date 12 OCTOBER 1942, Place AMBROSE
- (5) Last previous port TAMPA, FLA.
- (6) Nature of service CARGO Purpose of visit IN TRANSIT
- (7) Port bound to UNKNOWN
- (8) *Remarks 48 in crew including 13 officers.

1 CANADIAN @ REST BRITISH

Number of operators aboard vessel THREE (3)

Name of each operator T. MARKS - H. MATHEWS - D. PALMER

- (9) Transmitters: Intermediate(YES) High Freq.(YES) Emergency(YES)
Type MAIN 386
- Manufactured by M.I.M.C.
- Power 1500 Watts
- Frequency range 600 to 800 Meters
- Frequencies calibrated to 600, 650, 705, 750, 800 Meters

- (10) Brief description of sealing operations OPENED LINE SAFETY SWITCH

- (11) Brief description of any signaling apparatus MORSE & ALDIS LAMPS
- (12) Time sealed 0930 Eastern war time.....

I hereby certify that I have, in accordance with orders of the District Coast Guard Officer, Third Naval District, sealed the radio apparatus of the above named vessel.

The serial number(s) of the seal(s) are(is).
TYDEN USC A
BUTTON USC A 294132 - 133 - 134
INTACT FROM USC

ARMED (YES)
DEGAUSSED (YES)
SPEED (10.5) KNOTS

George A. Barber

(Signature) GEORGE A. BARBER

R.M. 3/c

(Rank or Rating)
Attached to Office, District Coast
Guard Officer, Third Naval District.

(10) Transmitters:

Type: HIGH FREQUENCY 550

Manufactured by: M.I.M.C.

Power: 500 WATTS

Frequency range: 18 to 36 Meters

Frequencies calibrated to: 18, 24, 36 Meters

(12) Brief description of sealing operations: OPENED LINE SAFETY SWITCH

AND SEALED PANEL.

(10) Transmitters:

Type: EMERGENCY 558

Manufactured by: M.I.M.C.

Power: 250 WATTS

Frequency range: 600 METERS FIXED.

Frequencies calibrated to: 600 METER ONLY.

(12) Brief description of sealing operations: REMOVED SPARK GAP

AND SEALED PANEL.

(10) Transmitters:

Type: LIFEBOAT T G 5 B

Manufactured by: I.M.R.C.

Power: 40 WATTS

Frequency range: 600 METERS FIXED.

Frequencies calibrated to: 600 METERS ONLY.

(12) Brief description of sealing operations: SEALED CONTAINER.

RECEIVING APPARATUS---MAKE & TYPE	FREQUENCY RANGE	STATUS OR REMARKS
REC'R <u>M.I.M.C.</u> <u>730/763</u>	<u>15 to 20000 Meters</u>	
REC'R <u>I.M.R.C.</u> <u>D.B.D.</u>	<u>475 to 525 Kcs.</u>	
REC'R <u>RESS MACE</u> <u>MN100</u>	<u>550 to 7000 Kcs.</u>	
RADIO D/F <u>M.I.M.C.</u> <u>579</u>	<u>550 to 1150 Meters</u>	
AUTO ALARM <u>MARCONI</u> <u>"M"</u>	<u>500 Kcs.</u>	

VESSEL: CAPE BRETON LOCATION: F.A. 20, N.Y. Harbor

DATE::: 13 October 1942 THIRD NAVAL DISTRICT