

PART "B"  
New York, N. Y.

(To be prepared by Coast Guard Representative)

Date 16 October 1942, Location

Pier 32, Bklyn

(1) Name of Vessel CAPE HENLOPIN Type S/S

Nationality U.S. Radio Call KEZW

(2) Name of Master C. Nelson Licensee RMCA

(3) Owner of Vessel U.S. Maritime Commission

\*(Give under remarks complete information as to ownership, Charter and status of officers and crew).

Arrival within the jurisdiction of the United States.  
Hour 2335 Date 15 October 1942, Place Ambrose Light

Last previous port Chester, Pa.

(6) Nature of service Cargo Purpose of visit Load

(7) Port bound to Unknown

(4) \*Remarks 46 in crew including 9 officers.  
All American

Number of operators aboard vessel One (1)

Name of each operator D. Miller

(5) Transmitters: Intermediate( Yes ) High Freq.( Yes ) Emergency( Yes )  
Type Main and Emergency ET 8010 CA

Manufactured by RMCA

Power 200 Watts

Frequency range 355 to 500 Kcs

Frequencies calibrated to 355 375 400 410 425 454 468 500 Kcs

(10) Brief description of working operation: Morse and Aldis Sealed filament  
power supply in off position.

(11) Brief description of any signaling apparatus Morse and Aldis

(12) Time sealed 0930 Last cert war time

I hereby certify that I have, in accordance with orders of the District Coast Guard Officer, Third Naval District, sealed the radio apparatus of the above named vessel.

The serial number(s) of the seal(s) are(s):

TYDEN USC A

BUTTON USC A 294351 294352

INTACT FROM USC

ARMED ( Yes )

DEGAUSSED ( Yes )

( )

SPEED ( 15 )

*Robert Anderson*  
Robert Anderson  
(Signature)

R.M.S.  
(Rank or Rating)  
Attached to Office, District Coast



(Part B cont'd)

(10) Transmitters: H.F. ET 8019 D  
 Type: \_\_\_\_\_  
 Manufactured by: R M C A  
 Power: 200 Watts  
 Frequency range: 4 to 22 Mcs  
 Frequencies calibrated to: 4 5 6 8 11 12 16 22 Mcs

(12) Brief description of sealing operations: Sealed power filament supply in off position.

(10) Transmitters:  
 Type: Lifebeat 168 B  
 Manufactured by: Mackay  
 Power: 5 Watts  
 Frequency range: 500 Kcs fixed  
 Frequencies calibrated to: \_\_\_\_\_

(12) Brief description of sealing operations: Sealed case.

(10) Transmitters:  
 Type: \_\_\_\_\_  
 Manufactured by: \_\_\_\_\_  
 Power: \_\_\_\_\_  
 Frequency range: \_\_\_\_\_  
 Frequencies calibrated to: \_\_\_\_\_

(12) Brief description of sealing operations: \_\_\_\_\_

RECEIVING APPARATUS----	MAKE & TYPE	FREQUENCY RANGE	STATUS OR REMARKS
REC'R	<u>R M C A AR 8503</u>	<u>15 to 650 Kcs</u>	
REC'R	<u>R M C A AR 8505</u>	<u>.6 to 30 Mcs</u>	
REC'R			
RADIO D/F	<u>R M C A AR 8707</u>	<u>250 to 520 Kcs</u>	
AUTO ALARM	<u>R M C A AR 8600 X</u>	<u>475 to 515 Kcs</u>	

VESSEL: CAPE HENLOPIN LOCATION: Pier 32 Eklva  
 DATE::: 16 October 1942 THIRD NAVAL DISTRICT