

RT B (To be prepared by Coast Guard Representative)  
New York, N.Y. Date 11 JULY 1943. Location F. A. 19, N.Y. HARBOR

- (1) Name of vessel CHERRY VALLEY Type S. S.  
Nationality AMERICAN Radio Call K F B E  
(2) Name of Master ROSE License R. M. C. A.  
(3) Owner of Vessel KAYMAR TANKERS CO.  
\*(Give under remarks complete information as to Ownership, Charter, and status of officers and crew).  
(4) Arrival within jurisdiction of the United States.  
Hour 1515 Date 9 JULY 1943. Place AMBROSE  
(5) Last previous port NEW YORK Port bound to UNKNOWN  
(6) Nature of service TANKER Purpose of visit REPAIRS  
(7) \*Remarks 52 in crew including 10 officers

ALL AMERICAN

Number of operators ONE (1)

Names of operators R. L. BASTONE

- (8) Transmitters: Main ( YES ) High Freq. ( YES ) Emergency ( YES ) Lifeboat ( YES )

Type MAIN & EMERGENCY ET 8010 CA

Manufactured by R. M. C. A.

Power 200 WATTS

Frequency range 375 to 500 KCS.

Freq. calibrated 375, 400, 425, 454, 500 KCS.

- (9) Brief description of sealing operations SEALED CUT OUT BOX

IN OFF POSITION.

- (10) Brief description of signaling apparatus MORSE & ALDIS LAMPS.

(11) Time sealed 1230 Eastern War Time.

- (12) I hereby certify that I have, in accordance with orders of the District Coast Guard Officer, Third Naval District, sealed the radio apparatus of the above named vessel.

The serial number (s) of the seal (s) are (is) :

BUTTON 9213 - , 9214 - 9215 - 9216 - 9218  
INTACT FROM \_\_\_\_\_

ARMED ( YES )  
DEGAUSSED ( YES )  
SPEED ( 13 ) Knots

H. A. BRENNAN  
E.M. 3/c

(Signature)

(Rank or Rating)

Attached to Office, District  
Coast Guard Officer, Third Naval District

Continued)

Transmitters:

Type

HIGH FREQUENCY

ET 8019 A

Manufactured by

R. M. C. A.

Power

200 WATTS

Frequency range

18 to 54 METERS

Freq. calibrated

18, 24, 27, 36, 48, 54 METERS

(9) Brief description of sealing operations

SEALED CUT OUT BOX

IN OFF POSITION.

(8) Transmitters:

Type

(2) LIFEBOATS 168 B

Manufactured by

F T C

Power

5 WATTS

Frequency range

500 KCS. ONLY

Freq. calibrated

500 KCS. FIXED

(9) Brief description of sealing operations

SEALED CASES.

(8) Transmitters:

Type

RADIO TELEPHONE 24 A

Manufactured by

WESTERN ELECTRIC

Power

25 WATTS

Frequency range

2100 to 2800 KCS.

Freq. calibrated

2100 to 2800 KCS.

(9) Brief description of sealing operations

SEALED CUT OUT BOX

IN OFF POSITION.

RECEIVING APPARATUS - MAKE & TYPE		FREQUENCY RANGE	STATUS OR REMARKS
REC'R	R. M. C. A. AR 8503	15 to 600 KCS.	
REC'R	R. M. C. A. AR 8505	15 to 30,000 KCS.	
REC'R			
RADIO D/F	R. M. C. A. AR 8703 B	270 to 520 KCS.	
AUTO ALARM	R. M. C. A. AR 8600 X	490 to 510 KCS.	

Name of Vessel

CHERRY VALLEY

Location

F. A. 19, N.Y. HARBOR

Date

11 JULY, 1943.

THIRD NAVAL DISTRICT

(Continued)

Transmitters:  
Type

RADIO TELEPHONE

TBY 2

Manufactured by

WESTERN ELECTRIC

Power

25 WATTS

Frequency range

2100 to 2800 KCS.

Freq. calibrated

2100 to 2800 KCS.

SEALED CASE.

(9) Brief description of sealing operations

(8) Transmitters:

Type

Manufactured by

Power

Frequency range

Freq. calibrated

(9) Brief description of sealing operations

(8) Transmitters:

Type

Manufactured by

Power

Frequency range

Freq. calibrated

(9) Brief description of sealing operations

RECEIVING APPARATUS - MAKE & TYPE	FREQUENCY RANGE	STATUS OR REMARKS
REC'R		
REC'R		
REC'R		
RADIO D/F		
AUTO ALARM		

Name of Vessel

CHERRY VALLEY

Location

F. A. 19, N.Y. HARBOR

Date

11 JULY, 1943.

THIRD NAVAL DISTRICT