

PART "B" (To be prepared by Coast Guard Representative)

New York, N.Y. Date 12 April, 1942 Location Pier 7, Bush, N.Y.

(1) Name of vessel COLORADAN Type S.S.  
Nationality American Radio Call K U R M

(2) Name of Master G. Grundy

(3) Owner of vessel American Hawaiian S.S. Co

\*(Give under remarks complete information as to ownership, Charter and status of officers and crew).

(4) Arrival within the jurisdiction of the United States.  
Hour 2358 Date 10 April, 1942 Place Ambrose

(5) Desired departure from the United States.  
Hour Unknown Date Unknown, 1942 Place Unknown

(6) Last previous port Trinidad

(7) Nature of service Cargo

Purpose of visit Load

(8) Port bound to Unknown

(9) \*Remarks 41 in crew including 10 officers all American.

Number of operators aboard One (1)

Name of each operator aboard Robert Payne

(10) Transmitters: Intermediate(Yes) High Freq. (Yes) Low Freq.( No )  
Type Main 155 B

Manufactured by Federal Telegraph Co.

Power 30 Watts.

Frequency range 600 to 800 Mtrs.

Frequencies calibrated to 600, 640, 705, 750 & 800 Mtrs.

(11) Brief description of sealing operations Shorted main inductance.

(12) Brief description of any signalling apparatus Morse Lamp.

(13) TIME: ~~(xxx)~~ ~~(xxx)~~ ~~(xxxxxx)~~ (sealed) 1150 E. W. T.

I here by certify that I have, in accordance with orders of the District Coast Guard Officer, Third Naval District, sealed the radio apparatus of the above named vessel.

The serial number(s) of the seals are (is) :

TYDEN USC A

BUTTON USC A 267565, 267566, 267567

INTACT FROM USC

ARLED ( No )

DEGAUSSED ( No )

WIPED ( No )

SPEED ( 10 )

Warren R. Harestad  
WARREN R. HARESTAD

(signature)

RM1/C

Rank or rating.

Attached to Office, District  
Coast Guard Officer, Third  
Naval District



(PART B Cont'd)

(10) Transmitters:

Type: High Frequency 156 B  
Manufactured by: Federal Telegraph Co.  
Power: 100 Watts.  
Frequency range: 17 to 54 Mtrs.  
Frequencies calibrated to: 18, 24, 27, 36, 48 & 54 Mtrs.

(12) Brief description of sealing operations: Shorted main inductance.

(10) Transmitters:

Type: Emergency ET 3650 A  
Manufactured by: R.C.A.  
Power: 50 Watts.  
Frequency range: 600 to 800 Mtr.  
Frequencies calibrated to: 600, 640, 660, & 800 Mtrs.

(12) Brief description of sealing operations: Shorted filament leads to ground...

(10) Transmitters:

Type: \_\_\_\_\_  
Manufactured by: \_\_\_\_\_  
Power: \_\_\_\_\_  
Frequency range: \_\_\_\_\_  
Frequencies calibrated to: \_\_\_\_\_

(12) Brief description of sealing operations: \_\_\_\_\_

(10) Transmitters:

Type: \_\_\_\_\_  
Manufactured by: \_\_\_\_\_  
Power: \_\_\_\_\_  
Frequency range : \_\_\_\_\_  
Frequencies calibrated to: \_\_\_\_\_

(12) Brief description of sealing operations: \_\_\_\_\_

VESSEL: COLORADAN LOCATION: Pier 7, Bush Terminal, N.Y.

DATE: 12 April, 1942. NEW YORK DISTRICT.