

New York, N.Y.

Date 19 MARCH

1943.

Location PIER #37 NORTH RIVER, N. Y.

- (1) Name of vessel CONTESSA Type S.S.
 Nationality HONDURAN Radio Call H R B C
- (2) Name of Master W. JOHN Licensee R M C A
- (3) Owner of Vessel STANDARD FRUIT & STEAM SHIP CO.
 *(Give under remarks complete information as to Ownership, Charter and status of Officers and Crew).
- (4) Arrival within jurisdiction of the United States.
 Hour 1500 Date 19 MARCH 1943. Place AMBROSE
- (5) Last previous port CARDIFF, ENGLAND Port bound to UNKNOWN
- (6) Nature of service CARGO Purpose of visit DISCHARGING
- (7) *Remarks 70 in crew including 13 officers
REST AMERICANS
6 BRITISH, 5 ESTONIAN, 10 BRAZILIAN, 3 EQUAD., 3 PORT, 6 SPANISH
 Number of operators THREE (3)
 Names of operators R. ROBERSON, A. WALDMAN, A. MACUSIC
- (8) Transmitters: Main (YES) High Freq. (YES) Emergency (YES) Lifeboat (YES)
 Type MAIN E.T.8006
 Manufactured by R M C A
 Power 300 WATTS
 Frequency range 375 to 500 KCS
 Freq. calibrated to 375, 400, 425, 468, 500 KCS
- (9) Brief description of sealing operations SEALED POWER SWITCH IN OFF POSITION

(10) Brief description of signaling apparatus MORSE & ALDIS LAMPS.

(11) Time sealed 1720 Eastern War Time.

(12) I hereby certify that I have, in accordance with orders of the District Coast Guard Officer, Third Naval District, sealed the radio apparatus of the above named vessel.

The serial number (s) of the seal (s) are (is):

BUTTON 2581 - 2582 - 2583 - 2584

INTACT FROM _____

ARMED (YES)
 DEGAUSSSED (YES)
 SPEED (14) Knots.

Alois Wolf
 ALOIS WOLF
 E. M. 3/c

(Signature)

(Rank or Rating)

Attached to Office, District Coast
 Guard Officer, Third Naval District.

PART B) (Continued)

(8) Transmitters:
 Type EMERGENCY E.T.8003
 Manufactured by R M C A
 Power 50 WATTS
 Frequency Range 375 to 500 KCS
 Freq. calibrated 375, 400, 425, 468, 500 KCS

(9) Brief description of sealing operations SEALED POWER SUPPLY SWITCH IN OFF
 POSITION

(8) Transmitters:
 Type HIGH FREQUENCY ET8004
 Manufactured by R M C A
 Power 50 WATTS
 Frequency Range 8280 to 16560 KCS
 Freq. calibrated 8280, 12420, 16560 KCS

(9) Brief description of sealing operations SEALED POWER SUPPLY SWITCH IN OFF
 POSITION

(8) Transmitters:
 Type LIFEBOAT 168B
 Manufactured by F T C
 Power 4 WATTS
 Frequency Range 500 KCS FIXED
 Freq. calibrated 500 KCS ONLY

(9) Brief description of sealing operations SEALED CASE

| RECEIVING APPARATUS - MAKE & TYPE | FREQUENCY RANGE | STATUS OR REMARKS |
|-----------------------------------|-----------------|-------------------|
| REC'R R M C A AR8503 | 15 to 600 KCS | |
| REC'R R M C A AR8505 | .6 to 30 MCS | |
| REC'R | | |
| RADIO D/F R M C A AR8701 | 270 to 500 kcs | |
| AUTO. ALARM | | |

Name of Vessel CONTESSA Location PIER #37 NORTH RIVER
 Date 19 MARCH, 1943 THIRD NAVAL DISTRICT

(7) Transmitters:
 Type 8 LIFEBOAT E.T.8707
 Manufactured by R C A
 Power 75 WATTS
 Frequency Range 500 KCS FIXED
 Freq. calibrated 500 KCS ONLY

(9) Brief description of sealing operations SEALED CASE

(8) Transmitters:
 Type _____
 Manufactured by _____
 Power _____
 Frequency Range _____
 Freq. calibrated _____

(9) Brief description of sealing operations _____

(8) Transmitters:
 Type _____
 Manufactured by _____
 Power _____
 Frequency Range _____
 Freq. calibrated _____

(9) Brief description of sealing operations _____

| RECEIVING APPARATUS - MAKE & TYPE | FREQUENCY RANGE | STATUS OR REMARKS |
|-----------------------------------|-----------------|-------------------|
| REC'R | | |
| REC'R | | |
| REC'R | | |
| RADIO D/F | | |
| INTO. ALARM | | |

Name of Vessel CONTESSA Location PIER #37 NORTH RIVER
 Date 19 MARCH, 1943 THIRD NAVAL DISTRICT