



Part B Cont'd)

(10) Transmitters:

Type: EMERGENCY ET-8003

Manufactured by: R.C.A.

Power: 50 WATTS

Frequency range: 375-500 KCS.

Frequencies calibrated to: 375-400-425-454-468-500 KCS.

(12) Brief description of sealing operations: SHORTED AND SEALED ANTENNA  
INDUCTANCE TO GROUND.

(10) Transmitters:

Type: \_\_\_\_\_

Manufactured by: \_\_\_\_\_

Power: \_\_\_\_\_

Frequency range: \_\_\_\_\_

Frequencies calibrated to: \_\_\_\_\_

(12) Brief description of sealing operations: \_\_\_\_\_

(10) Transmitters:

Type: \_\_\_\_\_

Manufactured by: \_\_\_\_\_

Power: \_\_\_\_\_

Frequency range: \_\_\_\_\_

Frequencies calibrated to: \_\_\_\_\_

(12) Brief description of sealing operations: \_\_\_\_\_

RECEIVING APPARATUS * MAKE & TYPE	FREQUENCY RANGE	STATUS OR REMARKS
REC'R. R.C.A. AR8505	.55-30 MCS.	
REC'R. R.C.A. AR8503	15-600 KCS.	
REC'R.		
RADIO D/F KOLSTER	250-550 KCS.	
AUTO ALARM R.C.A. AR8600X	500 KCS FIXED.	

VESSEL: DORTHY LUCKENBACH LOCATION: 31st PIER, BROOKLYN, N.Y.

DATE: 28 AUGUST, 1942, THIRD NAVAL DISTRICT.