

PART B (To be prepared by Coast Guard Representative)  
New York, N.Y. Date 16 JUNE 1943. Location PIER 17, BROOKLYN, N.Y.

- (1) Name of vessel EDWIN M. STANTON Type S. S.  
Nationality AMERICAN Radio Call K G K I
- (2) Name of Master H. R. HIERS Licensee MACKAY
- (3) Owner of Vessel U. S. MARITIME COMMISSION  
\*(Give under remarks complete information as to Ownership, Charter, and status of officers and crew).
- (4) Arrival within jurisdiction of the United States.  
Hour 2030 Date 15 JUNE 1943. Place AMBROSE
- (5) Last previous port GLASGOW, SCOTLAND Port bound to UNKNOWN
- (6) Nature of service CAR GO Purpose of visit DISCHARGING
- (7) \*Remarks 42 in crew including 9 officers  
1 Equador, 1 Chile, 1 Finn, rest American  
Number of operators ONE (1)  
Names of operators J. BEAM
- (8) Transmitters: Main ( YES ) High Freq. ( NO ) Emergency ( YES ) Lifeboat ( YES )  
Type MAIN & EMERGENCY 150 AY  
Manufactured by F T C  
Power 200 WATTS  
Frequency range 375 to 500 KCS.  
Freq. calibrated 375, 400, 425, 454, 500 KCS.
- (9) Brief description of sealing operations SHORTED INDUCTANCE.

- (10) Brief description of signaling apparatus MORSE & ALDIS LAMPS.
- (11) Time sealed 1200 Eastern War Time.
- (12) I hereby certify that I have, in accordance with orders of the District Coast Guard Officer, Third Naval District, sealed the radio apparatus of the above named vessel.  
The serial number (s) of the seal (s) are (is) :

BUTTON 8802 - 8803  
INTACT FROM \_\_\_\_\_

ARMED ( YES )  
DEGAUSSED ( YES )  
SPEED ( 10 ) Knots

Fred Lack  
FRED LACK  
E.M. 3/c

(Signature)

(Rank or Rating)  
Attached to Office, District  
Coast Guard Officer, Third Naval District

Transmitters: LIFEBOAT 168 B  
Type \_\_\_\_\_

Manufactured by F T C

Power 5 WATTS

Frequency Range 500 KCS. ONLY

Freq. calibrated 500 KCS. FIXED

(9) Brief description of sealing operations SEALED CASE.

(8) Transmitters:

Type \_\_\_\_\_

Manufactured by \_\_\_\_\_

Power \_\_\_\_\_

Frequency Range \_\_\_\_\_

Freq. calibrated \_\_\_\_\_

(9) Brief description of sealing operations \_\_\_\_\_

(8) Transmitters:

Type \_\_\_\_\_

Manufactured by \_\_\_\_\_

Power \_\_\_\_\_

Frequency Range \_\_\_\_\_

Freq. calibrated \_\_\_\_\_

(9) Brief description of sealing operations \_\_\_\_\_

RECEIVING APPARATUS - MAKE & TYPE	FREQUENCY RANGE	STATUS OR REMARK
REC'R F T C 128 AX	15 to 650 KCS.	
REC'R F T C 123 BX	375 to 500 KCS.	
REC'P		
RADIO D/F BLUDWORTH STANDARD ARROW	280 to 520 KCS.	
AUTO ALARM F T C( 101 B	490 to 510 KCS.	

Name of Vessel EDWIN M. STANTON Location PIER 17, BKLYN, N.Y.

Date 16 JUNE, 1943 THIRD NAVAL DISTRICT