

UNITED STATES COAST GUARD

Captain of the Port

San Francisco

RADIO SEALING REPORT

Date 5/14/43 Time of arrival 1115 Place San Francisco Bay
 Vessel EGG HARBOR Class S.S. Nationality AMERICAN
 Owners/~~XXXXXXXX~~ War Shipping Administration Master L/C. Olsen

REPAIRS TO RADIO APPARATUS

The repairs to radio apparatus are necessary as follows:

No Repairs

Master

DESCRIPTION OF RADIO APPARATUS

Transmitters: Senior radio operator L.B. Wyatt
 Number 1 :: Type #ET-8010-CA Manufactured by RCA Power 200 Watts
 Frequency range 350 - 500 kc. Calibrated to 355 375 400 410 425 454 468 500 kc
 Number 2 :: Type #ET-8019-A Manufactured by RCA Power 200 Watts
 Frequency range 4140 - 22120 kc. Calibrated to 4140 5520 8260 11060 16520 22080 kc
 Emergency : Type #ET-8010-CA Manufactured by RCA Power 50 Watts
 Frequency range 350 - 500 kc. Calibrated to 355 375 400 410 425 454 468 500 kc
 Lifeboat :: Type # 168-B Manufactured by Federal Telegraph Co. Power 5 Watts
 Frequency range 500 kc. Calibrated to 500 kc.

Receivers:

Type #	Manufactured by	Frequency range	Location
Number 1 ; <u>AR-8503</u>	<u>RCA</u>	<u>15 - 600 kc.</u>	<u>Radio Room</u>
Number 2 ; <u>SLR-F</u>	<u>Scott Radio Lab.</u>	<u>80-550 kc. 1900-24000 kc.</u>	<u>Radio Room</u>
Number 3 ; <u>SLR-12-B</u>	<u>Scott Radio Lab.</u>	<u>540-1600 kc. 5550-15600 kc.</u>	<u>Pilothouse</u>
Number 4 ; <u>B</u>	<u>RCA</u>	<u>350-515 kc.</u>	<u>Radio Room</u>
Lifeboat ;			
Direction Finder; <u>AR-8703-BX</u>	<u>RCA</u>	<u>270 - 520 kc.</u>	<u>Chart Room</u>
Auto - Alarm ; <u>AR-8600-X</u>	<u>RCA</u>		<u>Radio Room</u>

(Over)

Signal Apparatus:

Brief description Blinkers and International Flags.

Brief description of sealing operations: Main, H.F. & Emergency power switches
locked in off position and the keys sealed in box with Ribbon & Button.
Lifeboat Trans. sealed with button & paper seal over Starter-Button.

I hereby certify that I have, in accordance with orders of the District
Coast Guard Officer, 12th Naval District, sealed the radio apparatus of the
above-named vessel. The seals used in sealing the apparatus are _____
Ribbon & Button, Paper seal No. 6087 & Wax.

and are not serially numbered.

Note any deficiencies observed or other remarks:

Garland L Lewis
Garland L Lewis
Signature

Cox'n
Rank or rating

Captain of the Port
San Francisco, California
(Date)

1. Forwarded for the information of the Commandant, U. S. Coast
Guard.

A.R. Mortland
Signature A.R. Mortland

Rank Ensign
By direction of the Captain
of the Port.
San Francisco,

Copy to: Port Director
12th Naval District
Room 447 - Federal Office Building
Federal Communications Commission,
328 Custom House