

PART "B" (To be prepared by Coast Guard Representative)

New York, N.Y. Date 25 JUNE, 1942 Location CONSTABLE POINT, N.J.

(1) Name of vessel ESSO ANNAPOLIS Type SS

Nationality AMERICAN Radio Call K F E H

(2) Name of Master H. PAULING

(3) Owner of vessel STANDARD OIL COMPANY OF NEW JERSEY

\*(Give under remarks complete information as to ownership, Charter and status of officers and crew).

(4) Arrival within the jurisdiction of the United States.

Hour 1130 Date 24 JUNE, 1942 Place AMBROSE LV

(5) Desired departure from the United States.

Hour UNKNOWN Date UNKNOWN, 1942 Place UNKNOWN

(6) Last previous port ARUBA, D.W.I.

(7) Nature of service TANKER

Purpose of visit DISCHARGE

(8) Port bound to UNKNOWN

(9) \*Remarks 43 MEN INCLUDING 10 OFFICERS --

ALL U.S. CITIZENS EXCEPT 1 HODLANDER"

Number of operators aboard (1) ONE

Name of each operator aboard JAMES A. W. ILCOX

(10) Transmitters: Intermediate (Yes) High Freq. (Yes) Low Freq. (No)

Type ET 8010 D

Manufactured by R.C.A.

Power 250 WATTS

Frequency range 375 to 500 KCS.

Frequencies calibrated to 375 - 425 - 468 - 500 KCS.

(11) Brief description of sealing operations SEALED MAIN INTERMEDIATE

TRANSMITTER PANEL WITH PLATE FUSE REMOVED INSIDE

(12) Brief description of any signalling apparatus MORSE LAMP

(13) TIME: ~~(XXXXXXXXXXXXXXXXXX)~~ (sealed) 1515 E. W. T.

I hereby certify that I have, in accordance with orders of the District Coast Guard Officer, Third Naval District, sealed the radio apparatus of the above named vessel.

The serial number (s) of the seals are (is) :

TYDEN USC A

BUTTON USC A 276633 - 276632 - 276634 - 276767 - 276769

INTACT FROM USC

ARMED ( Yes )

DEGAUSSED ( Yes )

WIPE ( )

SPEED ( 15 kts. )

Anthony J. Brescia  
ANTHONY J. BRESCIA

(Signature)

E.M.2c.

Rank or rating.

Attached to Office, District  
Coast Guard Officer, Third  
Naval District.

(Part B Cont'd)

(10) Transmitters:

Type: HIGH FREQUENCY ET 8019 D  
Manufactured by: R.C.A.  
Power: 200 WATTS  
Frequency range: 4 to 72 MC.  
Frequencies calibrated to: 27 - 36 - 48 - 54 - 72 MC 13 18 24 mc

(12) Brief description of sealing operations: SHORTED -CIRCUITED MAIN INDUCTANCE TO GROUND

(10) Transmitters:

Type: EMERGENCY INTERMEDIATE FREQ. ET 8003  
Manufactured by: R.C.A.  
Power: 50 WATTS  
Frequency range: 375 to 500 KCS.  
Frequencies calibrated to: 375 - 425 - 468 - 500 KCS.

(12) Brief description of sealing operations: SHORTED MAIN INDUCTANCE TO GROUND AND SEALED CABINET

(10) Transmitters:

Type: LIFEBOAT INTERMEDIATE FREQ. ET8022  
Manufactured by: R.C.A.  
Power: 3 to 4 WATTS  
Frequency range: 500 KCS. FIXED  
Frequencies calibrated to: 500 KCS.

(12) Brief description of sealing operations: SEALED CABINET SHUT SO CONTROLS CANNOT BE REACHED

(10) Transmitters:

Type: LIFEBOAT INTERMEDIATE FREQ. ET 8022  
Manufactured by: R.C.A.  
Power: 3 to 4 WATTS  
Frequency range: 500 KCS. FIXED  
Frequencies calibrated to: 500 KCS.

(12) Brief description of sealing operations: SEALED CABINET SHUT SO CONTROLS CANNOT BE REACHED

VESSEL: ESSO ANNAPOLIS

LOCATION: CONSTABLE HOOK, N.J.

DATE: 25 JUNE

,1942. THIRD NAVAL DISTRICT.

RECEIVING APPARATUS * NAME & TYPE	FREQUENCY RANGE	STATUS OR REMARKS
RECR. R.C.A. AR 8503	15 to 600 KCS.	
RECR. R.C.A. AR 8505	540 to 30,000 KCS.	
RECR. R.C.A. TYPE B.	350 - 515 KCS.	(CRYSTAL)
RECR.		
RADIO D/F R.C.A. ET 8703A	250 - 550 KCS.	
AUTO ALARM R.C.A. ET 8600	500 KCS. FIXED	