

Part B
New York, N. Y.

(To be prepared by Coast Guard Representative)
Date 22 MAY, 1943. Location F. A. 24 N. Y. HARBOR

(1) Name of vessel ESSO BAYWAY Type S.S.

Nationality AMERICAN Radio Call W P KL

(2) Name of Master H. F. MURRAY Licensee R M C A

(3) Owner of Vessel STANDARD OIL CO. OF N.J.

*(Give under remarks complete information as to Ownership, Charter and status of Officers and Crew).

(4) Arrival within jurisdiction of the United States.
Hour 2106 Date 21 MAY, 1943. Place AMBROSE

(5) Last previous port GLASGOW, SCOTLAND Port bound to UNKNOWN

(6) Nature of service TANKER Purpose of visit LOADING

(7) *Remarks 70 in crew including 7 Officers & 26 U.S.N. GUN CREW.

1 SPAN. 1 PORT. ALL REST AMERICAN.

Number of operators ONE (1)

Names of operators L. ERIKSEN

(8) Transmitters: Main (YES) High Freq. (YES) Emergency (YES) Lifeboat (YES)

Type MAIN E T 8006

Manufactured by R M C A

Power 300 WATTS

Frequency Range 375 to 500 Kcs.

Freq. calibrated to 375, 425, 468, 500 Kcs.

(9) Brief description of sealing operations SEALED FILAMENT

SWITCH IN OFF POSITION.

(10) Brief description of signaling apparatus MORSE & ALDIS LAMPS.

(11) Time sealed 0900 Eastern War Time.

(12) I hereby certify that I have, in accordance with orders of the District Coast Guard Officer, Third Naval District, sealed the radio apparatus of the above named vessel.

The serial number (s) of the seal (s) are (is):

BUTTON 7785 - 7786 - 7787

INTACT FROM NEW YORK, N. Y. 1410

ARMED (yes)

DEGAUSSED (yes)

SPEED (10.5) Knots

Vincent Gaudio

VINCENT GAUDIO

E. M. 3/c

(Signature)

(Rank or Rating)

Attached to Office, District Coast
Guard Officer, Third Naval District.

31 (Continued)

Transmitters: HIGH FREQUENCY E T 8002
 Type _____
 Manufactured by R M C A
 Power 150 WATTS
 Frequency Range 5515 to 16600 KCS.
 Freq. calibrated 5515, 5520, 6210, 8250, 11010, 12420, 16600 Kcs.

(9) Brief description of sealing operations SEALED FILAMENT SWITCH
 IN OFF POSITION.

Transmitters: EMERGENCY E T 8003
 Type _____
 Manufactured by R M C A
 Power 50 WATTS
 Frequency Range 375 to 500 Kcs.
 Freq. calibrated 375, 400, 425, 454, 468, 500 Kcs.

(9) Brief description of sealing operations SEALED FILAMENT SWITCH
 IN OFF POSITION.

Transmitters: LIFEBOAT (2) E T 8022 A
 Type _____
 Manufactured by R M C A
 Power 4 WATTS
 Frequency Range 500 KCS. FIXED
 Freq. calibrated 500 KCS. ONLY

(9) Brief description of sealing operations SEALED PANEL

RECEIVING APPARATUS - MAKE & TYPE			FREQUENCY RANGE	STATUS OR REMARKS
REC'R	R M C A	A R 8503	15 to 600 Kcs.	
REC'R	R M C A	A R 8501	5000 to 18,000 Kcs.	
REC'R				
RADIO D/F	R M C A	A R 8703	270 to 520 Kcs.	
AUTO ALARM	R M C A	A R 8600 X	490 to 510 Kcs.	

Name of Vessel ESSO BAYWAY Location F. A. 24 N. Y. HARBOR
 Date 22 MAY, 1943 THIRD NAVAL DISTRICT