

PART B
New York, N.Y.

(To be prepared by Coast Guard Representative)
Date 13 APRIL 1943. Location PIER 4 CON HOOK, N. J.

(1) Name of vessel ESSO BAYWAY Type S. S.

Nationality AMERICAN Radio Call W P K L

(2) Name of Master H. F. MURRAY Licensee R M C A

(3) Owner of Vessel STANDARD OIL OF NEW JERSEY

*(Give under remarks complete information as to Ownership, Charter and status of Officers and Crew).

(4) Arrival within jurisdiction of the United States.
Hour 0854 Date 13 APRIL 1943. Place CITY ISLAND

(5) Last previous port ORAN, ALGERIA Port bound to UNKNOWN

(6) Nature of service TANKER Purpose of visit LOADING

(7) *Remarks 72 in crew, including 9 officers and 28 USN GUN CREW
1 PORT. 1 SPAN. 1BR. REST AMERICANS

Number of operators ONE (1)

Names of operators L. ERICKSON

(8) Transmitters: Main (YES) High Freq. (YES) Emergency (YES) Lifeboat (YES)

Type MAIN ET-8006

Manufactured by R M C A

Power 300 WATTS

Frequency range 375, to 500 KCS

Freq. calibrated to 375, 425, 468, 500 KCS

(9) Brief description of sealing operations SEALED POWER SUPPLY SWITCH IN
OFF POSITION

(10) Brief description of signaling apparatus MORSE & ALDIS LAMPS.

(11) Time sealed 1300 Eastern War Time.

(12) I hereby certify that I have, in accordance with orders of the District Coast Guard Officer, Third Naval District, sealed the radio apparatus of the above named vessel.

The serial number (s) of the seal (s) are (is):

BUTTON 2186 - 2187
INTACT FROM _____

ARMED (YES)
DEGAUSSED (YES)
SPEED (11.5) Knots.

J. Cholefsky

J. CHOLEFSKY (Signature)
E. M. 3/c

(Rank or Rating)

Attached to Office, District Coast Guard Officer, Third Naval District.

(PART B) (Continued)

(8) Transmitters:

Type HIGH FREQUENCY ET-8002

Manufactured by R M C A

Power 150 WATTS
to

Frequency Range 5510, /16680 KCS

Freq. calibrated 5520, 6210, 8280, 11040, 12420, 16560 KCS

(9) Brief description of sealing operations SEALED POWER SUPPLY SWITCH IN OFF

POSITION

(8) Transmitters:

Type EMERGENCY ET-8003

Manufactured by R M C A

Power 50 WATTS

Frequency Range 375 to 500 KCS

Freq. calibrated 375, 400, 425, 454, 468, 500 KCS

(9) Brief description of sealing operations SEALED POWER SUPPLY SWITCH IN OFF

POSITION

(8) Transmitters:

Type LIFEBOAT (2) ET-8022A

Manufactured by R M C A

Power 4 WATTS

Frequency Range 500 KCS FIXED

Freq. calibrated 500 KCS ONLY

(9) Brief description of sealing operations SEALED CASE

| RECEIVING APPARATUS - MAKE & TYPE | FREQUENCY RANGE | STATUS OR REMARKS |
|-----------------------------------|--------------------|-------------------|
| REC'R R M C A AR-8503 | 15 to 600 KCS | |
| REC'R R M C A AR-8501 | 5000 to 18,000 KCS | |
| REC'R R M C A "B" | 350 to 515 KCS | |
| RADIO D/F R M C A AR-8703 | 270 to 520 KCS | |
| AUTO. ALARM R M C A AR-8600X | 490 to 510 KCS | |

Name of Vessel ESSO BAYWAY Location PIER 4 CON HOOK, N. J.

Date 13 APRIL, 1943 . THIRD NAVAL DISTRICT