

PART "B" (To be prepared by Coast Guard Representative)

New York, N.Y. Date 13~~th~~ August 1942, Location Fletcher's Dry Dock, Hoboken

- (1) Name of vessel EXEMPLAR Type S.S.  
 Nationality American Licensee FTC
- (2) Name of Master G. Evanson Radio Call W F T Y
- (3) Owner of vessel Export Steamship Co.  
 \*(Give under remarks complete information as to ownership, Charter and status of officers and crew).
- (4) Arrival within the jurisdiction of the United States.  
 Hour 1920 Date 12 August 1942, Place Ambrose
- (5) Desired departure from the United States.  
 Hour Unknown Date Unknown 1942, Place Unknown
- (6) Last previous port Takoradi, W. Africa
- (7) Nature of service Cargo  
 Purpose of visit Drydock repairs
- (8) Port bound to Unknown
- (9) \*Remarks 44 men in crew including 14 officers & 6 gun crew  
All American  
 Number of operators aboard One (1)  
 Name of each operator G.K. Marshalsea
- (10) Transmitters: Intermediate ( Yes ) High Freq ( Yes ) Low Freq ( No )  
 Type Main - 155-A  
 Manufactured by FTC  
 Power 300 Watts  
 Frequency range 350 to 500 Kcs.  
 Frequencies calibrated to 375, 400, 410, 425, 454, 468, & 500 Kcs.
- (11) Brief description of sealing operations Main switch box sealed
- (12) Brief description of any signalling apparatus Morse & Aldis lamps.
- (13) TIME: (~~mt~~) (~~xt~~) (~~Inspected~~) (Sealed) 1035 E.W.T.  
 I hereby certify that I have, in accordance with orders of the District Coast Guard Officer, Third Naval District, sealed the radio apparatus of the above named vessel.  
 The serial number(s) of the seal(s) are (is).  
 TYDEN USC A  
 BUTTON USC A # 285123  
 INTACT FROM New York, N.Y. USC No serial no.  
 ARMED ( Yes )  
 DEGAUSSED ( Yes )  
 WIFED ( - - )  
 SPEED ( 17 ) Knots

*George A. Barber*  
George A. Barber  
 (Signature)

RM 3/c

Rank or rating,  
 Attached to Office, District Coast  
 Guard Officer, Third Naval District

B Cont'd)

(10) Transmitters:

Type: High Frequency - 156-A

Manufactured by: FTC

Power: 200 Watts

Frequency range: 5.5 to 17 Mcs.

Frequencies calibrated to 5520, 6210, 8280, 11040, 12420, & 16560 Kcs.

(12) Brief description of sealing operations: Main switch box sealed.

(10) Transmitters:

Type: Emergency - 149-A

Manufactured by: FTC

Power: 100 Watts

Frequency range: 375 to 500 Kcs.

Frequencies calibrated to: 375, 400, 425, 468, & 500 Kcs.

(12) Brief description of sealing operations: Main switch box sealed.

(10) Transmitters:

Type: Lifeboat - TG-5-B

Manufactured by: IMRC

Power: 40Watts

Frequency range: 500 Kcs.

Frequencies calibrated to: 500 Kcs.

(12) Brief description of sealing operations: Sealed container.

RECEIVING APPARATUS	* MAKE & TYPE	FREQUENCY RANGE	STATUS OR REMARKS
REC'R.	<b>FTC - 117-C</b>	<b>16 to 530 Kcs.</b>	
REC'R.	<b>IMRC - Lifeboat</b>	<b>475 to 525 Kcs.</b>	
REC'R.	<b>REES MACE • MN-100</b>	<b>550 to 7000 Kcs.</b>	
RADIO D/F	<b>KOLSTER - 105-A</b>	<b>270 to 520 Kcs.</b>	
AUTO ALARM	<b>FTC - 101-B</b>	<b>500 Kcs.</b>	

VESSEL: EXEMPLAR LOCATION: Fletcher's Dry Dock, Hoboken

DATE: 15 August, 1942, THIRD NAVAL DISTRICT.