

PART B (To be prepared by Coast Guard Representative)
New York, N.Y. Date 2 SEPTEMBER 1943. Location BETH, HOBOKEN, N.J.

(1) Name of vessel EXIRIA Type S.S.

Nationality AMERICAN Radio Call K A U D

(2) Name of master G. BERG Licensee MACKAY

(3) Owner of vessel AMERICAN EXPORT LINE
*(Give under remarks complete information as to Ownership, Charter, and status of officers and crew).

(4) Arrival within jurisdiction of the United States.
Hour 1418 Date 1 SEPTEMBER 1943. Place AMBROSE

(5) Last previous port PHILA., PA. Port bound to UNKNOWN

(6) Nature of service CARGO Purpose of visit REPAIRS & LOADING

(7) *Remarks 76 in crew including 11 officers & 28 USN gun crew
ALL AMERICANS

Number of operators ONE (1)

Names of operators J. VITACCO

(8) Transmitters: Main (YES) High Freq. (YES) Emergency (YES) Lifeboat (YES)

Type MAIN 155B

Manufactured by F T C

Power 300 WATTS

Frequency range 350 to 500 KCS

Freq. calibrated 355, 375, 400, 410, 425, 454, 468, 500KCS

(9) Brief description of sealing operations RADIO EQUIPMENT NOT SEALED IN ACCORDANCE

WITH V.C.N.O. DIRECTIVE OF 15 AUGUST, 1943

(10) Brief description of signaling apparatus MORSE & ALDIS LAMPS.

(11) Time sealed 1000 Eastern War Time.

(12) I hereby certify that I have, in accordance with orders of the District Coast Guard Officer, Third Naval District, sealed the radio apparatus of the above named vessel.

The serial number (S) of the seal (s) are (is) :

BUTTON COMPLIED WITH REGULATIONS
INTACT FROM _____

ARMED (YES)
DEGAUSSED (YES)
SPEED (16.5) Knots

James Bishop
JAMES BISHOP
E. M. 3/c (Signature)

(Rank or Rating)

Attached to Office, District
Coast Guard Officer, Third Naval District

B)(Continued)

Transmitters:

Type HIGH FREQUENCY 156A

Manufactured by R M C

Power 200 WATTS

Frequency range 5.5 to 17 MCS

Freq. calibrated 5520, 6210, 8280, 11040, 12420, 16560 KCS

(9) Brief description of sealing operations RADIO EQUIPMENT NOT SEALED

(8) Transmitters:

Type EMERGENCY 149A

Manufactured by F T C

Power 100WATTS

Frequency range 375 to 500 KCS

Freq. calibrated 375, 400, 425, 468, 500 KCS

(9) Brief description of sealing operations RADIO EQUIPMENT NOT SEALED

(8) Transmitters:

Type LIFEBOAT 168B

Manufactured by F T C

Power 5 WATTS

Frequency range 600 METERS FIXED

Freq. calibrated 600 METERS ONLY

(9) Brief description of sealing operations RADIO EQUIPMENT NOT SEALED

RECEIVING APPARATUS - MAKE & TYPE			FREQUENCY RANGE	STATUS OR REMARKS
REC'R	F T C	117C	16 to 530 KCS	
REC'R	F T C	123B	350 to 550 KCS	
REC'R				
RADIO D/F	F T C	105A	255 to 550 KCS	
AUTO ALARM	F T C	101B	490 to 500 KCS	

Name of vessel EXIRIA

Location

BETH, HOBOKEN

Date 2 SEPTEMBER, 1943

FIFTH NAVAL DISTRICT

Continued)

Transmitters:

RADIO TELEPHONE

CPJ-TBY-2

Manufactured by

WESTINGHOUSE ELEC. CO.

Power

25 WATTS

Frequency range

28 to 80 MCS

Freq. calibrated

28 to 80 MCS

(9) Brief description of sealing operations RADIO EQUIPMENT NOT SEALED

(8) Transmitters:

Type

Manufactured by

Power

Frequency range

Freq. calibrated

(9) Brief description of sealing operations

(8) Transmitters:

Type

Manufactured by

Power

Frequency range

Freq. calibrated

(9) Brief description of sealing operations

RECEIVING APPARATUS - MAKE & TYPE

FREQUENCY RANGE

STATUS OR REMARKS

REC'R

REC'R

REC'R

RADIO D/F

AUTO ALARM

Name of vessel

EXIRIA

Location

BETH, HOBOKEN

Date

2 SEPTEMBER, 1943 •

THIRD NAVAL DISTRICT