

"B" (To be prepared by Coast Guard Representative)  
New York, N. Y. Date 30 DECEMBER 1943 Location PIER #14 HOBOKEN, N. J.

- (1) Name of Vessel EXTAVIA (FORMERLY BRITISH (EMPIRE ORIOLE) Type S.S.  
Nationality AMERICAN Radio Call NONE ASSIGNED
- (2) Name of Master W. HABEL Licensee MACKAY
- (3) Owner of Vessel AMERICAN EXPORT LINE  
\*(Give under remarks complete information as to ownership, Charter and status of Officers and crew).
- (4) Arrival within jurisdiction of the United States.  
Hour 1000 Date 1 DECEMBER 1943 Place AMBROSE
- (5) Last previous port TAKAWATIC, WEST AFRICA Port bound to UNKNOWN
- (6) Nature of service CARGO Purpose of visit REPAIRS
- (7) \*Remarks CREW NOT ASSIGNED

Number of operators NONE ASSIGNED

Names of operators NONE

- (8) Transmitters: Main (  ) High Freq. (  ) Emergency (  ) Lifeboat (  )

Type MAIN 155-B

Manufactured by F T C

Power 300 WATTS

Frequency range 350 to 500 KCS

Freq. calibrated to 355, 375, 385, 410, 425, 454, 468, 500 KCS

- (9) Brief description of sealing operations SEALED POWER SUPPLY IN OFF

POSITION

- (10) Brief description of signaling apparatus MORSE & ALDIS LAMPS.

(11) Time sealed 1830 Eastern War Time.

- (12) I hereby certify that I have, in accordance with orders of the District Coast Guard Officer, Third Naval District, sealed the radio apparatus of the above named vessel.

The serial number(s) of the seal(s) are (is):

BUTTON USC A 330137 - 330138 - 330139

INTACT FROM USC

ARMED (  )  
DEGAUSSED (  )  
SPEED ( 16 ) KNOTS.

C. J. Lavcaric

(Signature)  
C. J. LAVCARIC  
E.M. 3/e

(Rank or Rating)  
Attached to Office, District Coast  
Guard Officer, Third Naval District.

PT B) (Continued)

(8) Transmitters: HIGH FREQUENCY 156-A  
 Manufactured by F T C  
 Power 200 WATTS  
 Frequency Range 18 to 54 METERS  
 Freq. calibrated 18, 24, 27, 36, 48, 54 METERS

(9) Brief description of sealing operations SEALED POWER SUPPLY IN OFF POSITION

Transmitters:  
 (8) Type EMERGENCY 149-A  
 Manufactured by F T C  
 Power 100 WATTS  
 Frequency Range 375 to 500 KCS  
 Freq. calibrated 375, 400, 425, 468, 500 KCS

(9) Brief description of sealing operations SEALED POWER SUPPLY IN OFF POSITION

(8) Transmitters:  
 Type LIFEBOAT 168-B  
 Manufactured by F T C  
 Power 40 WATTS  
 Frequency Range 600 METERS FIXED  
 Freq. calibrated 600 METERS ONLY

(9) Brief description of sealing operations SEALED CASE

RECEIVING APPARATUS - MAKE & TYPE	FREQUENCY RANGE	STATUS OR REMARKS
REC'R: F T C 117-C	16 to 530 KCS	
REC'R: F T C 130-A	300 to 550 KCS	
REC'R:		
RADIO D/F: F T C 106-A	270 to 520 KCS	
AUTO. ALARM: F T C 101-B	490 to 510 KCS	

Name of Vessel EXTAVIA Location PIER #14 HOBOKEN

Date 30 DECEMBER, 1942 . THIRD NAVAL DISTRICT