

(1) Name of Vessel FORT GEORGE Type S.S.  
Nationality BRITISH Radio Call B K B C

(2) Name of Master C.H. CHURCHILL Licensee B.W.M.S.

(3) Owner of Vessel ROPNER & CO.  
\*(Give under remarks complete information as to ownership, Charter and status of Officers and crew).

(4) Arrival within jurisdiction of the United States.  
Hour 1200 Date 10, December 1942. Place AMBROSE

(5) Last previous port PORT OF SPAIN, TRINIDAD Port bound to UNKNOWN

(6) Nature of service CARGO Purpose of visit DISCHARGE

(7) \*Remarks 57 in crew including 12 officers  
1 Ireland, 1 Pole, 1 Nor. 4 Canadian, 1 Spanish, Rest British

Number of operators Three (3)

Name of each operator RILEY, WARREN, LEVER

(8) Transmitters: Main (YES ) High Freq. ( YES ) Emergency ( YES ) Lifeboat ( YES )

Type MAIN 381

Manufactured by MARCONI

Power 500 Watts.

Frequency range 600 - 800 Mtrs.

Freq. calibrated to 600, 705, 800 Mtrs.

(9) Brief description of sealing operations Insulated gate switch & sealed panel

(10) Brief description of any signaling apparatus MORSE & ALDIS LAMPS.

(11) Time sealed 1040 Eastern War Time.

(12) I hereby certify that I have, in accordance with orders of the District Coast Guard Officer, Third Naval District, sealed the radio apparatus of the above named vessel.  
The serial number(s) of the seal(s) are (1s).

BUFTON USC A 321866 321867 321869  
INTACT FROM USC

APPROVED (YES )  
DEGAUSSED (YES )  
SPEED ( 10 ) KNOTS.

William W. Tillotson  
(Signature)  
WILLIAM W. TILLOTSON  
E.M.3/C

(Rank or Rating)  
Attached to Office, District Coast  
Guard Officer, Third Naval District.

B) (Continued)

(8) Transmitters:  
 Type: HIGH FREQUENCY 398  
 Manufactured by MARCONI  
 Power 500 WATTS  
 Frequency Range 18 to 48 METERS  
 Frequencies calibrated to 18, 24, 27, 36, 48 METERS

(9) Brief description of sealing operations INSULATED GATE SWITCH & SEALED PANEL.

Transmitters:  
 (8) Type EMERGENCY 558  
 Manufactured by MARCONI  
 Power 250 WATTS  
 Frequency Range 600 METERS FIXED.  
 Frequencies calibrated to 600 METERS ONLY.

(9) Brief description of sealing operations REMOVED SPARK GAP AND SEALED PANEL.

(8) Transmitters:  
 Type RADIO TELEPHONE T V 5  
 Manufactured by MARCONI  
 Power 20 WATTS  
 Frequency Range 1250 to 2500 METERS  
 Frequencies calibrated to 1500, 3000 METERS FIXED.

(9) Brief description of sealing operations: REMOVED INDUCTANCE COIL AND SEALED PANEL.

RECEIVING APPARATUS - MAKE & TYPE	FREQUENCY RANGE	STATUS OR REMARKS
REC'R: MARCONI 730	15 to 20000 METERS	
REC'R: I.M.R.C. D.B.D.	470 to 530 KCS.	
REC'R:		
RADIO D/F: MARCONI 579	550 to 1100 METERS	
AUTO. ALARM: MARCONI "M"	600 METERS FIXED.	

Name of Vessel FORT GEORGE Location: F.A. #17, N.Y.HARBOR  
 Date: 11 DECEMBER 1942. THIRD NAVAL DISTRICT

(Continued)  
 (8) Transmitters:  
 Type: LIFEBOAT T G 5 B  
 Manufactured by I.M.R.C.  
 Power 40 WATTS  
 Frequency Range 600 METERS FIXED  
 Frequencies calibrated to 600 METERS ONLY

(9) Brief description of sealing operations SEALED CARRYING CASE

Transmitters:  
 (8) Type \_\_\_\_\_  
 Manufactured by \_\_\_\_\_  
 Power \_\_\_\_\_  
 Frequency Range \_\_\_\_\_  
 Frequencies calibrated to \_\_\_\_\_

(9) Brief description of sealing operations \_\_\_\_\_

(8) Transmitters:  
 Type \_\_\_\_\_  
 Manufactured by \_\_\_\_\_  
 Power \_\_\_\_\_  
 Frequency Range \_\_\_\_\_  
 Frequencies calibrated to \_\_\_\_\_

(9) Brief description of sealing operations: \_\_\_\_\_

RECEIVING APPARATUS - MAKE & TYPE	FREQUENCY RANGE	STATUS OR REMARKS
REC'R:		
REC'R:		
REC'R:		
RADIO D/F:		
AUTO. ALARM:		

Name of Vessel FORT GEORGE Location: F.A. #17, N.Y. HARBOR  
 Date: 11 DECEMBER 1942. THIRD NAVAL DISTRICT