

"B" (To be prepared by Coast Guard Representative)
New York, N.Y. Date 12 January, 1942 Location Pier 54, N.R.

- (1) Name of vessel George Washington Type S.S.
Nationality British Radio Call V C N L
- (2) Name of Master D. W. Bone
- (3) Owner of vessel Anchor Line
*(Give under remarks complete information as to ownership, Charter and status of officers and crew).
- (4) Arrival within the jurisdiction of the United States.
Hour 2350 Date 11 January, 1942 Place Ambrose L.V.
- (5) Desired departure from the United States.
Hour Unknown Date Unknown, 1942 Place Unknown
- (6) Last previous port Philadelphia, Pa.
- (7) Nature of service Troop Transport
Purpose of visit Load Stores
- (8) Port bound to Unknown
- *(9) Remarks 480 in crew including 35 Officers, all British.

Number of operators aboard Three (3)

Name of each operator A.F.L. Crosby, D. Harnold, & G.B. Childs.

910) Transmitters: Intermediate (Yes) High Freq. (Yes) Low Freq. (No)

Type Main - 155-B

Manufactured by Mackay Radio

Power 300 Watts

Frequency range 355 to 500 Kcs.

Frequencies calibrated to 500, 468, 454, 425, 410, 400, 375, & 355 Kcs.

(11) Brief description of sealing operations Removed Oscillator and Amplifier tubes and sealed panels.

(12) Brief description of any signalling apparatus Aldis Lamp & Searchlight.

(13) TIME: (on) (off) (~~inspected~~) (sealed) 1155 E. S. T.

I hereby certify that I have, in accordance with orders of the Commander, New York District, sealed the radio apparatus of the above named vessel.

The serial number (s) of the seals are (is) :

Tyden USC A

Button USC A 254267, 254266, 254265, 254264, & 254263.

Intact from USC

ARMED (Yes)

DEGAUSSED (Yes)

WIPED (No)

SPEED (18 K.)

Ben P. Barker
Ben P. Barker

(signature)

R.M.1c.

Rank or rating

Attached to New York District.

(PART B Cont'd)

(10) Transmitters:

Type High Freq. 156-B
Manufactured by Mackay Radio
Power 200 Watts
Frequency range: 5.5 to 17 MC.
Frequencies calibrated to: 5000, 6000, 8000, 11000, 12000 & 16000 Kcs.

(12) Brief description of sealing operations: Removed oscillator and amplifier tubes and sealed panels.

(10) Transmitters:

Type: Emergency-149-A
Manufactured by: Mackay Radio
Power: 100 Watts
Frequency Range: 350 to 500 Kcs.
Frequencies to which calibrated: 375, 400, 425, 454, & 500 Kcs.

(12) Brief description of sealing operations: Removed oscillator and amplifiers tubes and sealed panels

(10) Transmitters:

Type: Lifeboat 101-B (Port)
Manufactured by: Mackay Radio
Power: 50 Watts
Frequency range: 600 Meters Only
Frequencies calibrated to: 600 Meters Fixed

(12) Brief description of sealing operations: Removed transmitting tubes and sealed case.

(10) Transmitters:

Type: Lifeboat 101-B (Starboard)
Manufactured by: Mackay Radio
Power: 50 Watts
Frequency range: 600 Meters only
Frequencies to which calibrated: 600 Meters fixed

(12) Brief description of sealing operations: Removed transmitting tubes and sealed case.

VESSEL: SS GEORGE WASHINGTON LOCATION: Pier 54, .N.R.

DATE: 12 January, ,1942 NEW YORK DISTRICT.