

REPORT OF RADIO SEALING

- (1) Vessel S/S GEORGEANNA Honduran Master G.W. Asendorf
- (2) Owner of Vessel Empressa Honduras de Vapores
- (3) Arrival within the jurisdiction of the United States _____
Hour 1030 Date 31 July 1943 Place Tampa, Florida
- (4) Last previous Port Barrios, Guatemala
- (5) Nature of service Foreign Purpose of visit Discharge cargo
- (6) Transmitters:
Type Main 155B Emergency ET:8003 Lifeboat 168B
Manufactured by Main and Lifeboat MacKay Radio Emergency R.C.A.
Power Main 300 watts, Emergency 50 watts, Lifeboat 5 watts.
Frequency Range Main and Emergency 375-500 kcs., Lifeboat 500 kcs.
Frequency to which calibrated Main and Emergency 375-400-425-454-468-
500 kcs., Lifeboat fixed at 500 kcs.
- (7) Brief description of any signalling apparatus: Flags, flares, blinker and rockets.
- (8) Brief description of sealing operations: All switches opened and radio equipment sealed.
- (9) Remarks:

Date 31 July 1943

I hereby certify that I have, in accordance with orders of the Commander, Inshore Patrol, SEVENTH Naval District, sealed the radio apparatus of the above named vessel. The serial number (s) of the seal (s) used is (are):

One button seal (no serial number) used on Main Transmitter.

One button seal (no serial number) used on Emergency Cutoff Switch.

One butt on seal (no serial number) used on Lifeboat Transmitter Case.

(Signature) Earl M. Brown

(Rank or Rating) Seaman 1/c USCGR.

Attached to: Captain of the Port, U. S. Coast Guard, Tampa, Florida.

In the event the seals have not been removed by Naval Authority prior to departure, the master is authorized to remove same, only after leaving Buoy No. 2, Flashing Red or when cleared by Examining vessel.

CAPTAIN OF THE PORT
Tampa, Florida

Paul V. Reese
PAUL V. REESE
By direction.