

REPORT OF RADIO SEALING

(1) Vessel S/S GEORGEANNA Honduranian Master G. W. Asendorf

(2) Owner of Vessel Empressa Honduras De Vapores.

(3) Arrival within the jurisdiction of the United States _____

Hour 0830 Date 28 June 1943 Place Tampa, Florida

(4) Last previous Port Barrious, Guatamela

(5) Nature of service Foreign Purpose of visit Discharge cargo

(6) Transmitters:

Type Main: 155 B Emergency: ET 8003 Lifeboat: 168 B

Manufactured by Main & lifeboat: MacKay Radio Emergency: R.C.A.

Power Main: 300 watts Emergency: 50 watts Lifeboat: 5 watts

Frequency Range Main & emergency: 375-500 kcs. Lifeboat: ~~500~~ 500 kcs.

Frequency to which calibrated Main & emergency: 375-400-425-454-468-500 kcs. Lifeboat: 500 kcs. (fixed).

(7) Brief description of any signalling apparatus: Flags, flares, blinkers and

(8) Brief description of sealing operations: rockets.

(9) Remarks: All switches opened and radio equipment sealed.

Date 29 June 1943

I hereby certify that I have, in accordance with orders of the Commander, In-shore Patrol, SEVENTH Naval District, sealed the radio apparatus of the aboved named vessel. The serial number (s) of the seal (s) used is (are):

One button seal (no serial number) used on Main Transmitter.

One button seal (no serial number) used on Emergency cutoff switch.

One button seal (no serial number) used on Lifeboat Transmitter case.

John DeVito
John DeVito
(Signature)

Sea. 1/c. USCGR.
(Rank or Rating)

Attached to: Captain of the Port Office, Tampa, Florida.

In the event the seals have not been removed by Naval Authority prior to departure, the master is authorized to remove same, only after leaving Buoy # 2, Flashing Red or when cleared by Examining vessel.

CAPTAIN OF THE PORT
Tampa, Florida

Paul V. Reese
PAUL V. REESE
By direction