

Form 1001 (To be prepared by Coast Guard Representative)
New York, N. Y. Date 10 DECEMBER 1942. Location CONSTABLE HOOK, NEW JERSEY

(1) Name of Vessel H. H. ROGERS Type S.S.

Nationality PANAMANIAN Radio Call H P N R

(2) Name of Master A. PETERSEN Licensee R.M.C.A.

(3) Owner of Vessel PANAMA TRANSPORT CO.

*(Give under remarks complete information as to ownership, Charter and status of Officers and crew).

(4) Arrival within jurisdiction of the United States.
Hour 0400 Date 9 DECEMBER 1942. Place AMBROSE

(5) Last previous port GLASGOW, SCOTLAND Port bound to UNKNOWN

(6) Nature of service TANKER Purpose of visit DISCHARGING

(7) * enmities 63 in crew including 8 officers. (19 USN gun crew)

1 Estonian - 1 British - REST AMERICANS

Number of operators ONE (1)

Name of each operator S. ISCOKSON

(8) Transmitters: Main (YES) High Freq. (YES) Emergency (YES) Lifeboat (YES)

Type MAIN E.T. 3628

Manufactured by R.M.C.A.

Power 500 WATTS

Frequency range 375 to 500 KCS.

Freq. calibrated to 375, 425, 468, 500 KCS.

(9) Brief description of sealing operations SHORTED MAIN INDUCTANCE

(10) Brief description of any signaling apparatus MORSE & ALDIS LAMPS.

(11) Time sealed 1025 Eastern War Time.

(12) I hereby certify that I have, in accordance with orders of the District Coast Guard Officer, Third Naval District, sealed the radio apparatus of the above named vessel.

The serial number(s) of the seal(s) are (1s).

BUITTON USC A 321931, 321932, 321933, 321934, 321935

INTACT PROJ. USC

ARMED (YES)

DEGAUSSED (YES)

SPEED (9) KNOTS.

B. Uberto
(Signature) B. UBERTO

E.M. 3/e

(Rank or Rating)
Attached to Office, District Coast
Guard Officer, Third Naval District.

Continued)

(8) Transmitters:
 Type: HIGH FREQUENCY E.T. 8019
 Manufactured by R.M.C.A.
 Power 200 WATTS
 Frequency Range 4 to 22 MCS.
 Frequencies calibrated to 4, 8, 11, 16, 22 MCS.

(9) Brief description of sealing operations REMOVED HIGH VOLTAGE FUSE AND SEALED PANEL.

(8) Transmitters:
 Type EMERGENCY E.T. 3650
 Manufactured by R.M.C.A.
 Power 50 WATTS
 Frequency Range 375 to 500 KCS.
 Frequencies calibrated to 375, 400, 425, 468, 500 KCS.

(9) Brief description of sealing operations SHORTED INDUCTANCE COIL.

(8) Transmitters:
 Type LIFEBOAT T G 5 B
 Manufactured by I.M.R.C.
 Power 40 WATTS
 Frequency Range 500 KCS. FIXED.
 Frequencies calibrated to 500 KCS. ONLY.

(9) Brief description of sealing operations: SEALED CASE.

RECEIVING APPARATUS * MAKE & TYPE	FREQUENCY RANGE	STATUS OR REMARKS
REC'R: R.M.C.A. AR8505	.6 to 30 MCS.	
REC'R: R.M.C.A. AR8503	15 to 600 KCS.	
REC'R: R.M.C.A. "B"	315 to 550 KCS.	
RADIO D/F: R.M.C.A. AR8700S	270 to 520 KCS.	
AUTO. ALARM: R.M.C.A. AR8600X	490 to 510 KCS.	

Name of Vessel H. H. ROGERS Location: CONSTABLE HOOK, N.J.
 Date: 10 DECEMBER 1942. THIRD NAVAL DISTRICT

T B) (Continued)

(8) Transmitters:
 Type: LIFEBOAT E.T. 8022A
 Manufactured by R.M.C.A.
 Power 4 WATTS
 Frequency Range 500 KCS. FIXED.
 Frequencies calibrated to 500 KCS. ONLY.

(9) Brief description of sealing operations SEALED CASE.

Transmitters:
 (8) Type _____
 Manufactured by _____
 Power _____
 Frequency Range _____
 Frequencies calibrated to _____

(9) Brief description of sealing operations _____

(8) Transmitters:
 Type _____
 Manufactured by _____
 Power _____
 Frequency Range _____
 Frequencies calibrated to _____

(9) Brief description of sealing operations: _____

RECEIVING APPARATUS - MAKE & TYPE	FREQUENCY RANGE	STATUS OR REMARKS
REC'R:		
REC'R:		
REC'R:		
RADIO D/F:		
AUTO. ALARM:		

Name of Vessel H. H. ROGERS Location: CONSTABLE HOOK, N.J.
 Date: 10 DECEMBER 1942. THIRD NAVAL DISTRICT