

- (1) Name of vessel J. H. TUTTLE Type S.S.
Nationality AMERICAN Radio Call KKOZ
- (2) Name of Master T. HULL Licensee MACKAY
- (3) Owner of Vessel STANDARD OIL OF CALIFORNIA
*(Give under remarks complete information as to Ownership, Charter, and status of officers and crew).
- (4) Arrival within jurisdiction of the United States.
Hour 0708 Date 25 JUNE 1943. Place AMBROSE
- (5) Last previous port ARUBA, N. W. I. Port bound to UNKNOWN
- (6) Nature of service TANKER Purpose of visit ORDERS
- (7) *Remarks 53 in CREW INCLUDING 10 OFFICERS

ALL AMERICAN

Number of operators TWO (2)
Names of operators V. BUCK AND F. H. TIMRECK

- (8) Transmitters: Main (YES) High Freq. (YES) Emergency (YES) Lifeboat (YES)
- Type MAIN 155B
Manufactured by F. T. C.
Power 300 WATTS
Frequency range 350 to 500 KCS.
Freq. calibrated 355, 375, 400, 425, 410, 454, 468, 500 KCS.

- (9) Brief description of sealing operations SEALED STARTING SWITCH IN OFF POSITION

- (10) Brief description of signaling apparatus MORSE AND ALDIS LAMPS.


- (11) Time sealed 1010 Eastern War Time.

(12) I hereby certify that I have, in accordance with orders of the District Coast Guard Officer, Third Naval District, sealed the radio apparatus of the above named vessel.

The serial number (s) of the seal (s) are (is) :

BUTTON 8836, 8837, 8838, 8839
INTACT FROM _____

ARMED (YES)
DEGAUSSED (YES)
SPEED (15) Knots


(Signature)

(Rank or Rating)
Attached to Office, District
Coast Guard Officer, Third Naval District

Part B)(Continued)

(8) Transmitters:

Type HIGH FREQUENCY 156B

Manufactured by F T C

Power 200 WATTS

Frequency Range 18 to 72 METERS

Freq. calibrated 18,24,27,36,48,54,72 METERS

(9) Brief description of sealing operations _____

SEALED STARTING SWITCH IN OFF POSITION

(8) Transmitters:

Type EMERGENCY 149 A

Manufactured by F T C

Power 100 WATTS

Frequency Range 350 to 500 KCS.

Freq. calibrated 355,375,410,454,500 KCS.

(9) Brief description of sealing operations _____

SEALED STARTING SWITCH IN OFF POSITION

(8) Transmitters:

Type LIFEBOATS (2) 168B

Manufactured by F T C

Power 5 WATTS

Frequency Range 500 KCS. FIXED

Freq. calibrated 500 KCS. ONLY

(9) Brief description of sealing operations _____

SEALED CASE.

RECEIVING APPARATUS - MAKE & TYPE	FREQUENCY RANGE	STATUS OR REMARKS
REC'R <u>F T C</u> <u>128A</u>	<u>15 to 650 KCS.</u>	
REC'R <u>F T C</u> <u>129A</u>	<u>.6 to 30 MCS.</u>	
REC'R		
RADIO D/F <u>F T C</u> <u>105 B</u>	<u>270 to 520 KCS.</u>	
AUTO. ALAR <u>F T C</u> <u>101 B</u>	<u>490 to 510 KCS.</u>	

Name of Vessel J. H. TUPLE

Location F A 23 NEW YORK HARBOR

Date 25 JUNE, 1943

THIRD NAVAL DISTRICT