

(1) Name of vessel J. H. TUTTLE Type S. S.

Nationality AMERICAN Radio Call K K U Z

(2) Name of Master D. THOMSEN Licensee MACKAY

(3) Owner of Vessel STANDARD OIL CO.

*(Give under remarks complete information as to Ownership, Charter and status of Officers and Crew).

(4) Arrival within jurisdiction of the United States.
Hour 0100 Date 2 MAY 1943. Place AMEROSE

(5) Last previous port BAYTOWN, TEXAS Port bound to UNKNOWN

(6) Nature of service TANKER Purpose of visit IN TRANSIT

(7) *Remarks 52 in crew including 15 officers

all American

Number of operators ONE (1)

Names of operators V. E. BUCKE

(8) Transmitters: Main (YES) High Freq. (YES) Emergency (YES) Lifeboat (YES)

Type MAIN 155 B

Manufactured by F T C

Power 300 WATTS

Frequency Range 350 to 500 KCS.

Freq. calibrated to 355, 375, 400, 410, 425, 454, 468, 500 KCS.

(9) Brief description of sealing operations SEALED SWITCH BOX SWITCH

IN OFF POSITION.

(10) Brief description of signaling apparatus MORSE & ALDIS LAMPS.

(11) Time sealed 1020 Eastern War Time.

(12) I hereby certify that I have, in accordance with orders of the District Coast Guard Officer, Third Naval District, sealed the radio apparatus of the above named vessel.

The serial number (s) of the seal (s) are (is):

BUTTON 5882 - 5884

INTACT FROM NEW YORK, N. Y. AND BAYTOWN, TEXAS - BUTTON SEAL

ARMED (YES)

DEGAUSSED (YES)

SPEED (15) Knots

Frank Weir
FRANK WEIR (Signature)
E.M. 1/c

(Rank or Rating)

Attached to Office, District Coast Guard Officer, Third Naval District.

B) (Continued)

Transmitters: HIGH FREQUENCY 156 B
 Type _____
 Manufactured by F T C
 Power 200 WATTS
 Frequency Range 18 to 54 METERS
 Freq. calibrated 18, 24, 27, 36, 48, 54 METERS

(9) Brief description of sealing operations SEALED SWITCH BOX SWITCH
 IN OFF POSITION.

(8) Transmitters: EMERGENCY 149 A
 Type _____
 Manufactured by F T C
 Power 100 WATTS
 Frequency Range 350 to 500 KCS.
 Freq. calibrated 355, 375, 410, 454, 500 KCS.

(9) Brief description of sealing operations SEALED SWITCH IN
 OFF POSITION.

(8) Transmitters: LIFEBOAT 168 B
 Type _____
 Manufactured by F T C
 Power 5 WATTS
 Frequency Range 500 KCS. FIXED
 Freq. calibrated 500 KCS. ONLY

(9) Brief description of sealing operations SEALED CASE.

RECEIVING APPARATUS	MAKE & TYPE	FREQUENCY RANGE	STATUS OR REMARKS
REC'R F T C	128 A	15 to 650 KCS.	
REC'R F T C	129 A	.6 to 30 MCS.	
REC'R			
RADIO D/F F T C	105 B	270 to 520 KCS.	
AUTO. ALARM F T C	101 B	490 to 510 KCS.	

Name of Vessel J. H. TUTTLE Location F. A. 23, N. Y. HARBOR
 Date 2 MAY, 1943 THIRD NAVAL DISTRICT

Transmitters: LIFEBOAT ET 8026
 Type _____
 Manufactured by R. M. C. A.
 Power 5 WATTS
 Frequency Range 500 KCS. FIXED
 Freq. calibrated 500 KCS. ONLY

(9) Brief description of sealing operations SEALED CASE.

(8) Transmitters:
 Type _____
 Manufactured by _____
 Power _____
 Frequency Range _____
 Freq. calibrated _____

(9) Brief description of sealing operations _____

(8) Transmitters:
 Type _____
 Manufactured by _____
 Power _____
 Frequency Range _____
 Freq. calibrated _____

(9) Brief description of sealing operations _____

RECEIVING APPARATUS - MAKE & TYPE	FREQUENCY RANGE	STATUS OR REMARKS
REC'R		
REC'R		
REC'R		
RADIO D/F		
AUTO. ALARM		

Name of Vessel J. H. TUTTLE Location F. A. 23, N. Y. HARBOR
 Date 2 MAY, 1943 THIRD NAVAL DISTRICT