PART "B" New York	(To be pre	pared by Coast Gu 10 NOVEMBER 1942,	ard Representative) Lecation F.A. #19	, NEW YORK HARBOR
(1)	Name of Vessel	MANGORE	Тур	S.S.
	Nationality	AMERICAN	Radio Cal	1 WQCG
	Name of Master		Licensee	
	Amos of vossel	OPE STEAMSHIP CO	RPORATION	Charter and
	*(Give under remarks status of Officers ar	complete information of crew).	tion as to ownership,	Charter and
(4)	1 1 - 1 - 1 Lin inmi od	lightion of the Im	ited States. 42, Place	AMBROSE
(5)			A Port bound to	
			Purpose of vi	
		31 IN CREW INCLUDING 9 OFFICERS (8 NAVY GUN CREW)		
		ALL AMERICAN		
	Number of operators	aboard wessel	ONE (1)	
				100
(8)	Name of each operator J. M. BRADFORD (8) Transmitters: Intermediate (YES) High Freq. (YES) Emergency (YES)			
(0)	Type			
			· · · · · · · · · · · · · · · · · · ·	
	Manufactured by			
	Power			
	Frequency range 375 to 500 KCS. Frequencies calibrated to 375, 400, 425, 468, 500 KCS.			
	Frequencies calibrat	ed to 375, 40		TATELON TOTAL
(9)	Brief description of	sealing operation	ons REMOVEL	HIGH VOLTAGE FUSE
		& SEALED PANEL		
(11)	Brief description of Time sealed I hereby certify tha	t I have, in acco	Eastern war to	the District
	the above named vess The serial number(s) TYDEN USC A	el.	rict, sealed the radi	o apparatus or
	BUTTON USC A INTACT FROM	299485 BALTIMORE	USC BUTTON	SEAL
	ARMED (YES)		J. Watter	son
	DEGAUSSED (YES)	-	(Signature)	
	SPEED (8) Kn	ots		E.M. 2/c
			(Rank or Re Attached to Office, I Guard Officer, Third	District Coast

ART B) (Continued) (8) Transmitters:	PM 9019	
Type: HIGH FREQUENCY	EL 901a	
Manufactured by R.M.C.A.		
Power 200 WATTS		
Frequency Range 5520 to 16680 1	METERS	
Branchics calibrated to 5520,	8280, 11040, 16680 MET	ERS
(9) Brief description of sealing open	rations REMOVE	D PLATE FUSE
& SEALED PANEL		
Transmitters: (8) Type EMERCENCY I	er 8003	
Manufactured by R.M.C.A.		
Power 50 WATTS		
Frequency Pange 600 METERS FI	XED	
Tibertad to 600	METERS ONLY	
(9) Erief description of sealing ope	erations SHORT	ED OUT INDUCTANCE
(8) Transmitters: Type Manufactured by Power Frequency Lange	1	
Frequencies calibrated to		
(9) Brief description of sealing op	erations:	
RECTIVILE APPARAPUS * LALE & TYPE	FREQUENCY RAPGE	STATUS OR RELARKS
	15 to 600 METERS	
- 0505	15 to 20000 METERS	
RICIR: R.M.C.A. AR 8505	350 to 515 KCS.	
R.C'R: R.M.C.A. "B"		
RADIO D/F: R.M.C.A. AR 8700	270 to 500 KCS.	
AUTC. ATARIS: R.M.C.A. AR 8600 X	600 METERS FIXED	A. #19, NEW YORK HARBOR
Name of Vessel MANCORE		
Date: 10 NOVEMBER 194	2. THIFD MAVAL DIS	FILIUT