

(1) Name of Vessel MARTPOSA Type SS
Nationality AMERICAN Radio Call WGEN

(2) Name of Master W. R. MEYER Licensee RMCA

(3) Owner of Vessel MATSON NAVIGATION CO.
*(Give under remarks complete information as to ownership, Charter and status of officers and crew).

(4) Arrival within the jurisdiction of the United States.
Hour 0930 Date 7 SEPTEMBER 1942, Place AMBROSE

(5) Last previous port CAPE TOWN, S.A.

(6) Nature of service PASSENGER Purpose of visit DISCHARGE

(7) Port bound to UNKNOWN

(8) *Remarks 319 in crew, including 34 officers: 1 Norwegian
1 Mexican, Irish, Rest American

Number of operators aboard vessel EIGHT (8) (INCLUDES 4 USN OPERATORS)

Name of each operator S.W. Samuels, P.A. O'Rourke, S.S. McKee, E.J. Clark,

(9) Transmitters: Intermediate(YES) High Freq.(YES) Emergency(YES)
Type MAIN & HIGH FREQUENCY ET3674R

Manufactured by RMCA

Power 500 Watts

Frequency range UNCALIBRATED. 375-17150 KC

Frequencies calibrated to UNCALIBRATED

(10) Brief description of sealing operations SEALED POWER SWITCH IN OFF POSITION

(11) Brief description of any signaling apparatus MORSE & ALDISLAMPS

(12) Time sealed 1615 Eastern war time.....

I hereby certify that I have, in accordance with orders of the District Coast Guard Officer, Third Naval District, sealed the radio apparatus of the above named vessel.

The serial number(s) of the seal(s) are(is).

TYDEN USC A

BUTTON USC A 288951-288952-288953-288954-288955

INTACT FROM USC

ARMED (YES)

DEGAUSSED (YES)

SPEED (21) KNOTS PLUS

E. HOGAN
(Signature)

E.M. 2/C
(Rank or Rating)
Attached to Office, District Coast Guard Officer, Third Naval District.

B cont'd)

(10) Transmitters:

Type: RADIO TELEPHONE ET 8009

Manufactured by: RMCA

Power: 600 Watts

Frequency range: 4-18 MCS.

Frequencies calibrated to: 4-6-8-11-12-16-18 MCS.

(12) Brief description of sealing operations: GROUNDING POWER OUTPUT TUBE.

(10) Transmitters:

Type: EMERGENCY ET 8003

Manufactured by: RMCA

Power: 50 Watts

Frequency range: 375-500 KC

Frequencies calibrated to: 375-400-410-425-454-468-500 KC

(12) Brief description of sealing operations: SHORTED & GROUNDED ANTENNA

(10) Transmitters:

Type: LIBEBOAT ET3677

Manufactured by: RMCA

Power: 75 Watts

Frequency range: 500 Meters

Frequencies calibrated to: 500 Meters fixed.

(12) Brief description of sealing operations: SEALED CARRYING CASE.

RECEIVING APPARATUS---MAKE & TYPE	FREQUENCY RANGE	STATUS OR REMARKS
REC'R <u>RMCA AR8500</u>	<u>15-18000 KC</u>	
REC'R <u>RMCA AR8503</u>	<u>15-600 KC</u>	
REC'R <u>RMCA AR8503</u>	<u>15-600 KC</u>	
RADIO D/F <u>RMCA AR605</u>	<u>1500-25000 KC</u>	
AUTO ALARM		

VESSEL: MARIPOSA

LOCATION: PIER 9 JERSEY CITY

DATE::: 7 SEPTEMBER

1942

THIRD NAVAL DISTRICT

cont'd)

(10) Transmitters:

Type: LIFEBOAT ET3677

Manufactured by: RMCA

Power: 75 Watts

Frequency range: 500 Meters

Frequencies calibrated to: 500 Meters fixed.

(12) Brief description of sealing operations: SEALED CARRYING CASE.

(10) Transmitters:

Type: _____

Manufactured by: _____

Power: _____

Frequency range: _____

Frequencies calibrated to: _____

(12) Brief description of sealing operations: _____

(10) Transmitters:

Type: _____

Manufactured by: _____

Power: _____

Frequency range: _____

Frequencies calibrated to: _____

(12) Brief description of sealing operations: _____

RECEIVING APPARATUS---MAKE & TYPE	FREQUENCY RANGE	STATUS OR REMARKS
REC'R <u>AR85 RMCA</u> <u>AR8501</u>	<u>15-20000 KC</u>	
REC'R <u>RMCA</u>		
REC'R _____		
RADIO D/F <u>RMCA</u> <u>AR8700S</u>	<u>270-520 KC</u>	
AUTO ALARM _____		

VESSEL: MARIPOSA LOCATION: PIER 9 JERSEY CITY

DATE::: 7 SEPTEMBER 1942 THIRD NAVAL DISTRICT