

- (1) Name of vessel MOBILIGHT Type S.S.
Nationality AMERICAN Radio Call K O J U
- (2) Name of Master SOLVEON Licensee MACKAY
- (3) Owner of Vessel SOCONY VACUUM OIL CO.
*(Give under remarks complete information as to Ownership, Charter and status of officers and crew).
- (4) Arrival within jurisdiction of the United States.
Hour 1500 Date 5 JUNE 1943. Place AMBROSE
- (5) Last previous port TEXAS Port bound to UNKNOWN
- (6) Nature of service TANKER Purpose of visit IN TRANSIT
- (7) *Remarks 44 in crew including 10 officers

1 NORWEGIAN, REST AMERICANS

Number of Operators TWO (2)

Names of Operators W. TAYLOR, D. McCLAIN (USN)

- (8) Transmitters: Main (YES) High Freq. (YES) Emergency (YES) Lifeboat (YES)

Type MAIN 155B

Manufactured by F T C

Power 300 WATTS

Frequency Range 350 to 500 KCS

Frequency calibrated 355, 375, 400, 410, 425, 468, 500 KCS

- (9) Brief description of sealing operations SEALED FILAMENT SWITCH IN OFF POSITION

- (10) Brief description of signaling apparatus MORSE & ALDIS LAMPS.

- (11) Time sealed 1700 Eastern War Time.


- (12) I hereby certify that I have, in accordance with orders of the District Coast Guard Officer, Third Naval District, sealed the radio apparatus of the above named vessel.

The serial number (s) of the seal (s) are (is) :

BUTTON 10429 - 10430 - 10961

INTEGRITY FROM

AIMED (YES)
DEGAUSSED (YES)
SPEED (14) Knots.


A. J. BRESCIA (Signature)
E. M. 1/c

(Rank or Rating)

Attached to Office, District
Coast Guard Officer, Third Naval Dist.

(Continued)

Transmitters:

Type HIGH FREQUENCY 150B

Manufactured by F T C

200 WATTS

Power _____

Frequency Range 5 to 17 MCS

Freq. calibrated 5, 11, 12, 17, MCS

(9) Brief description of sealing operations SEALED FILAMENT SWITCH IN OFF

POSITION

(8) Transmitters:

Type EMERGENCY 149A

Manufactured by F T C

Power 100 WATTS

Frequency Range 375 to 500 KCS

Freq. calibrated 375, 400, 425, 458, 500 KCS

(9) Brief description of sealing operations SEALED FILAMENT SWITCH IN OFF

POSITION

(8) Transmitters:

Type LIFEBOAT 168B

Manufactured by F T C

Power 5 WATTS

Frequency Range 500 KCS FIXED

Freq. calibrated 500 KCS ONLY

(9) Brief description of sealing operations SEALED CARRYING CASE

RECEIVING APPARATUS - MAKE & TYPE	FREQUENCY RANGE	STATUS OR REMARKS
REC'R F T C 128A	15 to 650 KCS	
REC'R SCOTT SLR-F	80 to 550 KCS	
REC'R F T C CRYSTAL	375 to 500KCS	
RADIO D/F F T C 100B	270 to 520 KCS	
AUTO ALARM F T C 101B	490 to 510 KCS	

Name of Vessel MOBILIGHT Location FLA. 23

Date 5 June, 1943 . THIRD NAVAL DISTRICT