PART New York	York, N.Y. Date 23 JANUARY ,1942 Location PIER 15.	M.R.	
(1)	Name of vessel MONTEREY Type S.S.		
	Nationality AMERICAN Radio Call W	KEJ	
(2)	Name of Master H. A. CHURCH		
(3)	*(Give under remarks complete information as to ownership,	Charter and	
(4)	Arrival within the jurisdiction of the United States.		
(5)	Hour 0045 Date 23 JANUARY 1942 Place Narro		
(3)	Hour UNKNOWN Date UNKNOWN ,1942 Place UNK	NOWN	
(6)			
(7)	Nature of service GENERAL CARGO		
	Purpose of visit DISCHARGING AND LOADING		
(8)	Port bound to UNKNOWN		
(9)	Remarks 100 IN CREW INCLUDING 19 OFFICERS. ALL AMERICA		
101			
	Number of operators aboard THREE (3)		
	Name of each operator H. PACKER, D. CRAWFORD, V. LA	EMONT.	
	Name of each operator H. PACKER, D. CRAM OF	eq. (VER )	
910)			
	Type MAIN & LOW-ET-3626-C		
	Manufactured by RCA		
	Power 500-750 WATTS Frequency range 600 TO 800 AND 1800 TO 24	OO METERS	
	Frequency range 600 10 800 AND 1800 18 24	1800, 1900,	
	Frequencies calibrated to 600,650,700,750,800, AND 2000,2100,2200,2300, & 24	100	
1771	Brief description of sealing operations SEAKED MAIN D.	C. SWITCH.	
(TT)	brief description of secting operation SEARED MAIN DE	Ce Ultitude	
(12)	2) Brief description of any signalling apparatus MORSE LAN	AP.	
(13)	The fame (may) (www. (sealed) 1145 E. S	3. T.	
()	I hereby certify that I have, in accordance with orders Commander, New York District, sealed the radio apparatus	or one	
	named vessel.		
	The serial number (s) of the seals are (is):		
	Bitton USC A 254690, 254941, 254942, & 254943.		
	Intact from USC		
	ATTOO INO I	arken	
	BEN P. BAR		
	wrom (signatur		
	SPEED (18 K) Rank or ra	And the Party of t	
	Attached to Ne	w York Distric	

PART	B Cont.a)	
(10)	Transmitters:	
	Туре	HIGH FREQ ET-8002-C
	Manufactured by	RMCA
	Power	150 WATTS
	Frequency range:	5510 TO 16680 KCS.
	Frequencies calibrated to	: 18, 24, 27, 36, 48, & 54 METERS
(12)	Brief description of sealing	operations: SHORTED MAIN INDUCTANCE.
(10)	Transmitters:	
		EMERGENCY- ET-3650
	Manufactured by:	RMC A
	Power:	
	Frequency Range:	375 TO 500 KCS
	Frequencies to which calib	brated: 375, 425, 468, & 500 KCS.
(12)		operations: SHORTED MAIN INDUCTANCE
(10)	Transmitters:	
	Type:	LIFEBOAT-ET-8007
	Manufactured by:	RMCA
	Power:	75 WATTS
		500 KCS. ONLY
	Frequencies calibrated to:	
(12)	Brief description of sealing operations: REMOVED TUBES AND SEALE CASE.	
(10)	Transmitters:	
	Type:	
	Manufactured by:	
	Power:	
	Frequencies to which calib	prated:
(12)	Brief description of sealing	operations:
VESSI	EL: SS MONTEREY	LOCATION: PIER 15, N.R.
DATE	y	NEW YORK DISTRICT.
	20 01110111	